Pastry Brush, 30 mm, Soft, Blue







The very thin and soft bristles facilitate ease of applying marinade, egg, icing, etc. Alternatively the brush can be used for detail cleaning.

To minimise the risk of bristle loss regularly inspect the brush for loose bristles and replace the brush if any are found.

Technical Data

Visible bristle length 45 mm Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 4320 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Width 150 mm Box Width 150 mm Box Height 75 mm Length 195 mm Width 30 mm Height 14.5 mm Not Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.002 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Gross Weight 0.01 kg Gross Weight 0.04 kg Cubic metre	Item Number	5552303
Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304)	Bristle stiffness	Soft
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Complies with FDA Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA Intentionally added Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 4320 Pcs Box Length Box Width 150 mm Box Height 75 mm Height 14.5 mm Net Weight Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) Tare total Quanticy emperature (Dishwasher) Max usage temperature (Ioshwasher)	Visible bristle length	45 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 4320 Pcs Box Length 240 mm Box Width 150 mm Box Height 75 mm Uethith 195 mm Width 30 mm Height 14.5 mm Net Weight Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Tare total 0.01 kg Gross Weight 0.04 kg Cubic metre 8.5E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Tood contact) Max usage temperature 100 °C Min. usage temperature 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Min. pH-value in usage concentration	Material	(PBT) Stainless Steel
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 4320 Pcs Box Length 240 mm Box Length 240 mm Box Width 150 mm Box Height 75 mm Length 195 mm Width 30 mm Height 14.5 mm Net Weight 0.031 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.002 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Tare total 0.01 kg Gross Weight 0.04 kg Cubic metre 8.5E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) <	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 4320 Pcs Quantity Per Layer (Pallet) Box Length Box Width 150 mm Box Height 75 mm Length 195 mm Net Weight Net Weight No Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) Tare total Cubic metre 8.5E-05 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (Ion food contact) Max. drying temperature Min. pH-value in usage concentration 2 pH Min. pH-value in usage concentration	Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 4320 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Length 240 mm Box Width 150 mm Box Height 75 mm Length 195 mm Width 30 mm Height 14.5 mm Net Weight 0.031 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.002 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Tare total 0.01 kg Gross Weight 0.04 kg Cubic metre 8.5E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentr	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 4320 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Length 240 mm Box Width 150 mm Box Height 75 mm Length 195 mm Width 30 mm Height 14.5 mm Net Weight 0.031 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.002 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Tare total 0.01 kg Gross Weight 0.04 kg Cubic metre 8.5E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH </th <th>Complies with UK 2019 No. 704 on food contact materials</th> <th>Yes</th>	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 4320 Pcs. Quantity Per Layer (Pallet) 180 Pcs. Box Length 240 mm Box Width 150 mm Box Height 75 mm Length 195 mm Width 30 mm Height 14.5 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.002 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Tare total 0.01 kg Gross Weight 0.04 kg Cubic metre 8.5E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature (non food contact) 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Length Box Width Box Width Box Height Length You multipupubut Length Width Box Height Length Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) Tare total Cubic metre 8.5E-05 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Min. usage temperature Min. pH-value in usage concentration 100 °C Min. pH-value in usage concentration 2 pH 1320 mm 4320 Pcs 4	Complies with California Proposition 65	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 4320 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Length 240 mm Box Width 150 mm Box Height 75 mm Length 195 mm Width 30 mm Height 14.5 mm Net Weight 0.031 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.002 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Tare total 0.01 kg Gross Weight 0.04 kg Cubic metre 8.5E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm) 4320 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Length 240 mm Box Width 150 mm Box Height 75 mm Length 195 mm Width 30 mm Height 14.5 mm Net Weight 0.031 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.002 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Tare total 0.01 kg Gross Weight 0.04 kg Cubic metre 8.5E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)180 Pcs.Box Length240 mmBox Width150 mmBox Height75 mmLength195 mmWidth30 mmHeight14.5 mmNet Weight0.031 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.002 kgWeight cardboard (Recycling symbol "20" PAP)0.008 kgTare total0.01 kgGross Weight0.04 kgCubic metre8.5E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Quantity	10 Pcs.
Box Length Box Width 150 mm Box Height 75 mm Length 195 mm Width 30 mm Height 14.5 mm Net Weight 0.031 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.002 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Tare total 0.01 kg Gross Weight 0.04 kg Cubic metre 8.5E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH	Quantity per Pallet (80 x 120 x 180-200 cm)	4320 Pcs
Box Width150 mmBox Height75 mmLength195 mmWidth30 mmHeight14.5 mmNet Weight0.031 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.002 kgWeight cardboard (Recycling symbol "20" PAP)0.008 kgTare total0.01 kgGross Weight0.04 kgCubic metre8.5E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Quantity Per Layer (Pallet)	180 Pcs.
Box Height75 mmLength195 mmWidth30 mmHeight14.5 mmNet Weight0.031 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.002 kgWeight cardboard (Recycling symbol "20" PAP)0.008 kgTare total0.01 kgGross Weight0.04 kgCubic metre8.5E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pH	Box Length	240 mm
Length195 mmWidth30 mmHeight14.5 mmNet Weight0.031 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.002 kgWeight cardboard (Recycling symbol "20" PAP)0.008 kgTare total0.01 kgGross Weight0.04 kgCubic metre8.5E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Width	150 mm
Width30 mmHeight14.5 mmNet Weight0.031 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.002 kgWeight cardboard (Recycling symbol "20" PAP)0.008 kgTare total0.01 kgGross Weight0.04 kgCubic metre8.5E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Height	75 mm
Height14.5 mmNet Weight0.031 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.002 kgWeight cardboard (Recycling symbol "20" PAP)0.008 kgTare total0.01 kgGross Weight0.04 kgCubic metre8.5E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Length	195 mm
Net Weight 0.031 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.002 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Tare total 0.01 kg Gross Weight 0.04 kg Cubic metre 8.5E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Width	30 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.002 kgWeight cardboard (Recycling symbol "20" PAP)0.008 kgTare total0.01 kgGross Weight0.04 kgCubic metre8.5E-05 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Height	14.5 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 8.5E-05 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Min. usage temperature 100 °C Min. pH-value in usage concentration	Net Weight	0.031 kg
Tare total 0.01 kg Gross Weight 0.04 kg Cubic metre 8.5E-05 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.002 kg
Gross Weight Cubic metre 8.5E-05 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Weight cardboard (Recycling symbol "20" PAP)	0.008 kg
Cubic metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration	Tare total	0.01 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration	Gross Weight	0.04 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Cubic metre	8.5E-05 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Max usage temperature (food contact)	80 °C
Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH	Min. usage temperature ³	-20 °C
_ ` ·	Max. drying temperature	100 °C
Max. pH-value in Usage Concentration 10.5 pH	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH

Country of origin	Denmark
Customs Tariff No.	96039099
GTIN-14 Number (Box quantity)	15705028015822
GTIN-13 Number	5705022015814

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.