## Ultra Hygienic Handle, Ø32 mm, 1700 mm, Red





Reduce the risk of cross contamination with a lightweight, sturdy Ultra Hygienic Handle that is free of crevices where bacteria can hide. Designed with vertical ridges and a matt finish that ensures an improved grip – even with greasy hands.

## **Technical Data**

Material         Polypropylene Glass reinforced           Recycling Symbol "7", Miscellaneous Plastics         Yes           Complies with (EC) 1935/2004 on food contact materials¹         Yes           Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           Complies with FDA Regulation ICFR 21¹         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Complies with California Proposition 65         Yes           Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Design Registration No.         EU 008521926-0005, UK 6133993, US 20984,073 S           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         400 Pcs.           Quantity Per Layer (Pallet)         40 Pcs.           Box Length         1720 mm           Box Width         235 mm           Box Width         32 mm           Length         1700 mm           Width         32 mm           Length         1700 mm           Width         32 mm           Net Weight         0.65 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0464 kg           Gross Weight         0.7 kg	Item Number	29644
Complies with (EC) 1935/2004 on food contact materials¹         Yes           Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           Complies with FDA Regulation (ER) 21¹         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Complies with REACH Regulation (EC) No. 1907/2006         Yes           Complies with California Proposition 65         Yes           Complies with Halal and Kosher         Yes           FPAS, Phthalates and BPA intentionally added         No           Design Registration No.         EU 008521926-0005, UK 6133993, US D984,073 S           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         400 Pcs           Quantity Per Layer (Pallet)         40 Pcs.           Box Length         1720 mm           Box Width         235 mm           Box Height         80 mm           Product Diameter         32 mm           Length         1700 mm           Width         32 mm           Length         1700 mm           Width         32 mm           Length         1700 mm           Width         32 mm           Length         0.05 kg           Weight cardboard (Recycling symbol	Material	
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice       Yes         Complies with FDA Regulation I CFR 21¹       Yes         Complies with UK 2019 No. 704 on food contact materials       Yes         Complies with REACH Regulation (EC) No. 1907/2006       Yes         Complies with California Proposition 65       Yes         Complies with Halal and Kosher       Yes         PFAS, Phthalates and BPA intentionally added       No         Design Registration No.       EU 008521926-0005, UK 6133993, US D984,073 S         Box Quantity       10 Pcs.         Quantity per Pallet (80 x 120 x 180-200 cm)       400 Pcs.         Quantity Per Layer (Pallet)       40 Pcs.         Box Length       1720 mm         Box Height       80 mm         Box Height       80 mm         Width       32 mm         Height       32 mm         Height       32 mm         Net Weight       0.65 kg         Weight cardboard (Recycling symbol "20" PAP)       0.0464 kg         Gross Weight       0.7 kg         Cubic metre       0.001741 M3         Recommended sterilisation temperature (Autoclave)       121 °C         Max. cleaning temperature (Dishwasher)       93 °C         Max usage temperature (non food contac	Recycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing Practice         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Complies with REACH Regulation (EC) No. 1907/2006         Yes           Complies with California Proposition 65         Yes           Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Design Registration No.         EU 008521926-00005, UK 6133993, US D984,073 S           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         400 Pcs.           Quantity Per Layer (Pallet)         40 Pcs.           Box Length         1720 mm           Box Width         235 mm           Box Height         80 mm           Product Diameter         32 mm           Length         1700 mm           Width         32 mm           Height         32 mm           Height         32 mm           Height         0.65 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0464 kg           Gross Weight         0.7 kg           Cubic metre         0.001741 M3           Recommended sterilisation temperature (Autoclave) <th>Complies with (EC) 1935/2004 on food contact materials<sup>1</sup></th> <th>Yes</th>	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials       Yes         Complies with REACH Regulation (EC) No. 1907/2006       Yes         Complies with California Proposition 65       Yes         Complies with Halal and Kosher       Yes         PFAS, Phthalates and BPA intentionally added       No         Design Registration No.       EU 008521926-0005, UK 6133993, US D984.073 S         Box Quantity       10 Pcs.         Quantity per Pallet (80 x 120 x 180-200 cm)       400 Pcs.         Quantity Per Layer (Pallet)       40 Pcs.         Box Length       1720 mm         Box Width       235 mm         Box Height       80 mm         Product Diameter       32 mm         Length       1700 mm         Width       32 mm         Height       32 mm         Weight       0.65 kg         Weight cardboard (Recycling symbol "20" PAP)       0.0464 kg         Gross Weight       0.7 kg         Cubic metre       0.001741 M3         Recommended sterilisation temperature (Autoclave)       121 °C         Max. cleaning temperature (Dishwasher)       93 °C         Max usage temperature (non food contact)       100 °C         Min. usage temperature       -20 °C         Max. dryi	·	Yes
Complies with REACH Regulation (EC) No. 1907/2006         Yes           Complies with California Proposition 65         Yes           Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Design Registration No.         EU 008521926-0005, UK 6133993, US D984,073 S           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         400 Pcs.           Quantity Per Layer (Pallet)         40 Pcs.           Box Length         1720 mm           Box Width         235 mm           Box Height         80 mm           Product Diameter         32 mm           Length         1700 mm           Width         32 mm           Height         32 mm           Wet Weight         0.65 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0464 kg           Gross Weight         0.7 kg           Cubic metre         0.001741 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature         100 °C           Max. drying temperature	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65         Yes           Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Design Registration No.         EU 008521926-0005, UK 6133993, US D984,073 S           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         400 Pcs.           Quantity Per Layer (Pallet)         40 Pcs.           Box Length         1720 mm           Box Width         235 mm           Box Height         80 mm           Product Diameter         32 mm           Length         1700 mm           Width         32 mm           Height         32 mm           Net Weight (Recycling symbol "20" PAP)         0.0464 kg           Gross Weight         0.7 kg           Cubic metre         0.001741 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Min. usage temperature         100 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Design Registration No.         EU 008521926-0005, UK 6133993, US D984,073 S           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         400 Pcs.           Quantity Per Layer (Pallet)         40 Pcs.           Box Length         1720 mm           Box Width         235 mm           Box Height         80 mm           Product Diameter         32 mm           Length         1700 mm           Width         32 mm           Height         32 mm           Net Weight cardboard (Recycling symbol "20" PAP)         0.0464 kg           Gross Weight         0.7 kg           Cubic metre         0.001741 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added         No           Design Registration No.         EU 008521926-0005, UK 6133993, US D984,073 S           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         400 Pcs           Quantity Per Layer (Pallet)         40 Pcs.           Box Length         1720 mm           Box Width         235 mm           Box Height         80 mm           Product Diameter         32 mm           Length         1700 mm           Width         32 mm           Height         32 mm           Height         32 mm           Net Weight cardboard (Recycling symbol "20" PAP)         0.0464 kg           Gross Weight         0.7 kg           Cubic metre         0.001741 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (not contact)         100 °C           Min. usage temperature*         -20 °C           Min. usage temperature         100 °C	Complies with California Proposition 65	Yes
Design Registration No.         EU 008521926-0005, UK 6133993, US D984,073 S           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         400 Pcs           Quantity Per Layer (Pallet)         40 Pcs.           Box Length         1720 mm           Box Width         235 mm           Box Height         80 mm           Product Diameter         32 mm           Length         1700 mm           Width         32 mm           Height         32 mm           Net Weight         0.65 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0464 kg           Gross Weight         0.7 kg           Cubic metre         0.001741 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature <sup>3</sup> -20 °C           Max. drying temperature         100 °C           Max. drying temperature         100 °C	Complies with Halal and Kosher	Yes
Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         400 Pcs           Quantity Per Layer (Pallet)         40 Pcs.           Box Length         1720 mm           Box Width         235 mm           Box Height         80 mm           Product Diameter         32 mm           Length         1700 mm           Width         32 mm           Height         32 mm           Net Weight cardboard (Recycling symbol "20" PAP)         0.0464 kg           Tare total         0.0464 kg           Gross Weight         0.7 kg           Cubic metre         0.001741 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm)         400 Pcs           Quantity Per Layer (Pallet)         40 Pcs.           Box Length         1720 mm           Box Width         235 mm           Box Height         80 mm           Product Diameter         32 mm           Length         1700 mm           Width         32 mm           Height         32 mm           Net Weight         0.65 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0464 kg           Tare total         0.0464 kg           Gross Weight         0.7 kg           Cubic metre         0.001741 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         -20 °C           Max. drying temperature         100 °C	Design Registration No.	UK 6133993, US
Quantity Per Layer (Pallet)         40 Pcs.           Box Length         1720 mm           Box Width         235 mm           Box Height         80 mm           Product Diameter         32 mm           Length         1700 mm           Width         32 mm           Height         32 mm           Net Weight         0.65 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0464 kg           Tare total         0.0464 kg           Gross Weight         0.7 kg           Cubic metre         0.001741 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         -20 °C           Max. drying temperature         100 °C	Box Quantity	10 Pcs.
Box Length         1720 mm           Box Width         235 mm           Box Height         80 mm           Product Diameter         32 mm           Length         1700 mm           Width         32 mm           Height         32 mm           Net Weight         0.65 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0464 kg           Gross Weight         0.7 kg           Cubic metre         0.001741 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature (non food contact)         100 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	400 Pcs
Box Width         235 mm           Box Height         80 mm           Product Diameter         32 mm           Length         1700 mm           Width         32 mm           Height         32 mm           Net Weight         0.65 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0464 kg           Gross Weight         0.7 kg           Cubic metre         0.001741 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature³         -20 °C           Max. drying temperature         100 °C	Quantity Per Layer (Pallet)	40 Pcs.
Box Height80 mmProduct Diameter32 mmLength1700 mmWidth32 mmHeight32 mmNet Weight0.65 kgWeight cardboard (Recycling symbol "20" PAP)0.0464 kgTare total0.0464 kgGross Weight0.7 kgCubic metre0.001741 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Length	1720 mm
Product Diameter32 mmLength1700 mmWidth32 mmHeight32 mmNet Weight0.65 kgWeight cardboard (Recycling symbol "20" PAP)0.0464 kgTare total0.0464 kgGross Weight0.7 kgCubic metre0.001741 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Width	235 mm
Length1700 mmWidth32 mmHeight32 mmNet Weight0.65 kgWeight cardboard (Recycling symbol "20" PAP)0.0464 kgTare total0.0464 kgGross Weight0.7 kgCubic metre0.001741 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Height	80 mm
Width32 mmHeight32 mmNet Weight0.65 kgWeight cardboard (Recycling symbol "20" PAP)0.0464 kgTare total0.0464 kgGross Weight0.7 kgCubic metre0.001741 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Product Diameter	32 mm
Height32 mmNet Weight0.65 kgWeight cardboard (Recycling symbol "20" PAP)0.0464 kgTare total0.0464 kgGross Weight0.7 kgCubic metre0.001741 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Length	1700 mm
Net Weight0.65 kgWeight cardboard (Recycling symbol "20" PAP)0.0464 kgTare total0.0464 kgGross Weight0.7 kgCubic metre0.001741 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Width	32 mm
Weight cardboard (Recycling symbol "20" PAP)0.0464 kgTare total0.0464 kgGross Weight0.7 kgCubic metre0.001741 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Height	32 mm
Tare total0.0464 kgGross Weight0.7 kgCubic metre0.001741 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Net Weight	0.65 kg
Gross Weight  Cubic metre  0.001741 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  93 °C  Max usage temperature (food contact)  100 °C  Max usage temperature (non food contact)  100 °C  Min. usage temperature  100 °C	Weight cardboard (Recycling symbol "20" PAP)	0.0464 kg
Cubic metre 0.001741 M3  Recommended sterilisation temperature (Autoclave) 121 °C  Max. cleaning temperature (Dishwasher) 93 °C  Max usage temperature (food contact) 100 °C  Max usage temperature (non food contact) 100 °C  Min. usage temperature³ -20 °C  Max. drying temperature 100 °C	Tare total	0.0464 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Gross Weight	0.7 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Cubic metre	0.001741 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMax. drying temperature100 °C	Max usage temperature (food contact)	100 °C
Max. drying temperature 100 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature <sup>3</sup>	-20 °C
Min. pH-value in usage concentration 2 pH	Max. drying temperature	100 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705020296444
GTIN-14 Number (Box quantity)	15705020296441
Customs Tariff No.	39241000
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.