

77635

# Revolving Neck Floor squeegee w/Replacement Cassette, 500 mm, White



Ideal for removing water and food debris from all types of flooring, this double-bladed cell rubber squeegee can be used with any Vikan handle. The cassette can be removed easily for cleaning or replacement (Series 77735 or 77739 for replacement blades).

# Technical Data

Item Number	77635
Material	Polypropylene Cellular rubber
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	No
Complies with FDA Regulation CFR 21 <sup>1</sup>	No
Complies with UK 2019 No. 704 on food contact materials	No
Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	No
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Pat. Pending/Patent No.	EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	480 Pcs
Quantity Per Layer (Pallet)	60 Pcs.
Box Length	515 mm
Box Width	300 mm
Box Height	210 mm
Length	500 mm
Width	100 mm
Height	75 mm
Net Weight	0.32 kg
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.0076 kg
Weight cardboard (Recycling symbol "20" PAP)	0.0263 kg
Tare total	0.0339 kg
Gross Weight	0.35 kg
Cubic metre	0.00375 M3
Max. cleaning temperature (Dishwasher)	90 °C
Max usage temperature (food contact)	80 °C
Max usage temperature (non food contact)	80 °C
Min. usage temperature <sup>3</sup>	-20 °C
Max. drying temperature	70 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020776359
GTIN-14 Number (Box quantity)	15705020776356
Customs Tariff No.	96039099

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.