Powder Brush, 300 mm, Soft, Green







This Powder Brush is designed for sweeping fine particles such as flour from conveyor belts and food preparation surfaces.

Technical Data

Visible bristle length 40 mm Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304L) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes	Item Number	45822
Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304L) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Yes Manufacturing Practice Manufacturing Practice Complies with FDA Regulation (ECR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs Box Length 325 mm Box Width 240 mm Box Height 160 mm Product Length/Depth 300 mm Product Length/Depth 300 mm Product Width 31 mm Product Height 78 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max. drying temperature (mon food contact) 100 °C Min. pH-value in usage concentration 2 pH Complies with EDR Regulation for contact 2 pH Min. pH-value in usage concentration 2 pH Complies with EDR Regulation for contact 2 pH Complies with EDR Regulation femperature (Min. pH-value in usage concentration 2 pH Complies with EDR Regulation femperature (Min. pH-value in usage concentration 2 pH Complies with EDR Regulation femperature (Min. pH-value in usage concentration 2 pH Complies with EDR Regulation femperature (Min. pH vesses 2 pH Complie	Bristle stiffness	Soft
Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation CFR 21¹ Yes Complies with FDA Regulation (EC) No. 1907/2006 Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes FAS, Phthalates and BPA Intentionally added No Box Quantity 100 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 1100 Pcs. Box Length 325 mm Box Width 240 mm Box Width 240 mm Box Height 160 mm Product Length/Depth 30 mm Product Width 31 mm Product Height 78 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Gross Weight 0.32 kg Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. clea	Visible bristle length	40 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs. Box Length 325 mm Box Width 240 mm Box Height 160 mm Product Length/Depth 300 mm Product Width 31 mm Product Height 78 mm Net Weight 0.29 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.32 kg Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (non food conta	Material	(PBT) Stainless Steel
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs. Box Length 325 mm Box Length 325 mm Box Width 240 mm Box Height 160 mm Product Length/Depth 300 mm Product Width 31 mm Product Width 31 mm Product Height 78 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.32 kg Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 33 °C Max usage temper	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs. Quantity Per Layer (Pallet) 100 Pcs. Box Length 325 mm Box Width 240 mm Box Width 240 mm Box Height 160 mm Product Length/Depth 300 mm Product Width 31 mm Product Height 78 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0056 kg Weight cardboard (Recycling symbol "4") LDPE ≥ PCR 30% 0.0056 kg Gross Weight 0.32 kg Cubic metre 0.000725 M3 Recommended sterillisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 20 °C Min. usage temperature 20 °C		Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs. Box Length 325 mm Box Width 240 mm Box Height 160 mm Product Length/Depth 300 mm Product Width 31 mm Product Height 78 mm Net Weight 0.29 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.32 kg Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature and contact 100 °C Min. usage temperature in temperature 100 °C Min. pH-value in usage concentration 2 pH </td <td>Complies with FDA RegulationI CFR 21¹</td> <td>Yes</td>	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs. Box Length 325 mm Box Width 240 mm Box Height 160 mm Product Length/Depth 300 mm Product Width 31 mm Product Height 78 mm Net Weight 0.29 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.32 kg Cubic metre 0.00725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperatures -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs. Quantity Per Layer (Pallet) 100 Pcs. Box Length 325 mm Box Width 240 mm Box Height 160 mm Product Length/Depth 300 mm Product Width 31 mm Product Weight 78 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.32 kg Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs. Quantity Per Layer (Pallet) 100 Pcs. Box Length 325 mm Box Width 240 mm Box Height 160 mm Product Length/Depth 300 mm Product Width 31 mm Product Height 78 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.32 kg Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with California Proposition 65	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1100 Pcs. Quantity Per Layer (Pallet) 100 Pcs. Box Length 325 mm Box Width 240 mm Box Height 160 mm Product Length/Depth 300 mm Product Width 31 mm Product Height 78 mm Net Weight 0.29 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.32 kg Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with Halal and Kosher	Yes
Quantity Per Layer (Pallet) 1100 Pcs Box Length 325 mm Box Width 240 mm Box Height 160 mm Product Length/Depth 300 mm Product Width 31 mm Product Height 78 mm Net Weight 0.29 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.32 kg Cubic metre 0.00725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)100 Pcs.Box Length325 mmBox Width240 mmBox Height160 mmProduct Length/Depth300 mmProduct Width31 mmProduct Height78 mmNet Weight0.29 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.32 kgCubic metre0.000725 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Quantity	10 Pcs.
Box Length 325 mm Box Width 240 mm Box Height 160 mm Product Length/Depth 300 mm Product Width 31 mm Product Height 78 mm Net Weight 0.29 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.0256 kg Gross Weight 0.32 kg Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Quantity per Pallet (80 x 120 x 180-200 cm)	1100 Pcs
Box Width240 mmBox Height160 mmProduct Length/Depth300 mmProduct Width31 mmProduct Height78 mmNet Weight0.29 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.32 kgCubic metre0.000725 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Quantity Per Layer (Pallet)	100 Pcs.
Box Height160 mmProduct Length/Depth300 mmProduct Width31 mmProduct Height78 mmNet Weight0.29 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.32 kgCubic metre0.000725 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Length	325 mm
Product Length/Depth300 mmProduct Width31 mmProduct Height78 mmNet Weight0.29 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.32 kgCubic metre0.000725 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Width	240 mm
Product Width31 mmProduct Height78 mmNet Weight0.29 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.32 kgCubic metre0.000725 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Height	160 mm
Product Height78 mmNet Weight0.29 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.32 kgCubic metre0.000725 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Product Length/Depth	300 mm
Net Weight0.29 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.32 kgCubic metre0.000725 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Product Width	31 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.32 kgCubic metre0.000725 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Product Height	78 mm
Weight cardboard (Recycling symbol "20" PAP)0.02 kgTare total0.0256 kgGross Weight0.32 kgCubic metre0.000725 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Net Weight	0.29 kg
Tare total0.0256 kgGross Weight0.32 kgCubic metre0.000725 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.0056 kg
Gross Weight Cubic metre 0.000725 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration	Weight cardboard (Recycling symbol "20" PAP)	0.02 kg
Cubic metre0.000725 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Tare total	0.0256 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration	Gross Weight	0.32 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Cubic metre	0.000725 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max usage temperature (food contact)	80 °C
Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH	Min. usage temperature ³	-20 °C
	Max. drying temperature	100 °C
Max. pH-value in Usage Concentration 10.5 pH	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH

Country of Origin	Denmark
Customs Tariff Number	96039099
GTIN-14 Number (Box quantity)	15705020458221
GTIN-13 Number	5705020458224

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.