## Bucket, 20 Litre, Yellow





An ideal station for mixing ingredients that are stored in 20L or smaller Vikan buckets. Perfect for solid or liquid ingredients, this station is large enough to meet all your mixing needs, yet small enough to lift and transport. A bottom handle and a rounded rim and lip also allow for ergonomic, no-spill lifting and pouring. Interior contains durable beveled measurements.

## **Technical Data**

Content         20 Litre           Material         Polypropylene Stainless Steel (AISI 304)           Recycling Symbol "5", Polypropylene (PP)         Yes           Complies with (EC) 1935/2004 on food contact materials'         Yes           Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           Complies with FDA Regulation I CFR 21'         Yes           Complies with FDA Regulation (EC) No. 1907/2006         Yes           Complies with REACH Regulation (EC) No. 1907/2006         Yes           Complies with California Proposition 65         Yes           Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Design Registration No.         EU 002914119-1-3, US pesign D916411, GB 900029141190001-3           Box Quantity         5 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         40 Pcs           Quantity Per Layer (Pallet)         10 Pcs.           Box Length         800 mm           Box Height         415 mm           Length         470 mm           Width         470 mm           Height         380 mm           Net Weight         1,76 kg           Weight cardboard (Recycling symbol "20" PAP)         0,21 kg	Item Number	56926
Recycling Symbol "5", Polypropylene (PP) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with TDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. Begign Registration No. Begign Polf6411, GB 90002914119-1-3, US Box Quantity S Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Length Box Width 455 mm Box Height 415 mm Length Width 470 mm Height Midth 470 mm Net Weight 1.76 kg Weight cardboard (Recycling symbol "20" PAP) Cubic metre 0.083942 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Ioishwasher) Max usage temperature (Ioishwasher) Max usage temperature (Ioishwasher) Max usage temperature (Ioishwasher) Min. usage temperature (Ioishwasher) Min. usage temperature	Content	20 Litre
Complies with (EC) 1935/2004 on food contact materials¹  Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice  Complies with FDA Regulation CFR 21¹  Yes  Complies with UK 2019 No. 704 on food contact materials  Yes  Complies with EACH Regulation (EC) No. 1907/2006  Yes  Complies with California Proposition 65  Yes  Complies with Halal and Kosher  Yes  PFAS, Phthalates and BPA Intentionally added  No  Design Registration No.  BU 002914119-1-3, US Design D916411, GB 900029141190001-3  Box Quantity  5 Pcs.  Quantity per Pallet (80 x 120 x 180-200 cm)  40 Pcs  Box Length  Box Width  455 mm  Box Width  455 mm  Box Height  415 mm  Length  470 mm  Width  470 mm  Width  470 mm  Width  470 mm  Width  470 mm  Net Weight  1.76 kg  Weight cardboard (Recycling symbol "20" PAP)  0.21 kg  Gross Weight  1.97 kg  Cubic metre  0.083942 M3  Recommended sterillisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  80 cm  Max usage temperature (Ino food contact)  Min. usage temperature	Material	
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice  Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher FAS, Phthalates and BPA Intentionally added No Design Registration No. Beign Pallet (80 x 120 x 180-200 cm) 40 Pcs Quantity Per Layer (Pallet) 10 Pcs. Box Length 800 mm Box Width 455 mm Box Height 415 mm Length 470 mm Width 470 mm Width 470 mm Height 380 mm Net Weight 1.76 kg Weight cardboard (Recycling symbol "20" PAP) 0.21 kg Gross Weight 1.97 kg Cubic metre 0.083942 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (Ino food contact) 100 °C Max usage temperature 100 °C Min. usage temperature 100 °C Max usage temperature 100 °C Min. usage temperature 100 °C Max usage temperature 100 °C Min. usage temperatur	Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing Practice         Yes           Complies with FDA RegulationI CFR 21¹         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Complies with REACH Regulation (EC) No. 1907/2006         Yes           Complies with California Proposition 65         Yes           Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Design Registration No.         EU 002914119-1-13, CB point polife 111, GB poli	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials  Complies with REACH Regulation (EC) No. 1907/2006  Yes Complies with California Proposition 65  Yes Complies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  No Design Registration No.  EU 002914119-1-3, US Design D916411, GB 90002914119001-3  Box Quantity  5 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm)  40 Pcs Quantity Per Layer (Pallet)  10 Pcs. Box Length  800 mm Box Width  455 mm Box Height  415 mm Length  470 mm Width  470 mm Width  470 mm Weight  1.76 kg Weight cardboard (Recycling symbol "20" PAP)  7 Tare total  7 Cubic metre  9 .083942 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Min. usage temperature  Min. usage temperature  Min. usage temperature  Min. usage temperature  Max. drying temperature  120 °C  Max. drying temperature		Yes
Complies with REACH Regulation (EC) No. 1907/2006  Complies with California Proposition 65  Complies with Halal and Kosher  PFAS, Phthalates and BPA intentionally added  No  Design Registration No.  EU 002914119-1-3, US  Design D916411, GB 900029141190001-3  Box Quantity  5 Pcs.  Quantity per Pallet (80 x 120 x 180-200 cm)  40 Pcs  Quantity Per Layer (Pallet)  10 Pcs.  Box Length  800 mm  Box Width  455 mm  Box Height  415 mm  Length  470 mm  Width  470 mm  Width  470 mm  Net Weight  1.76 kg  Weight cardboard (Recycling symbol "20" PAP)  Cubic metre  0.083942 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (food contact)  Max usage temperature (food contact)  Min. usage temperature  Mex. cleaning temperature (To Complete Comp	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65       Yes         Complies with Halal and Kosher       Yes         PFAS, Phthalates and BPA intentionally added       No         Design Registration No.       EU 002914119-1-3, US Design D916411, GB 900029141190001-3         Box Quantity       5 Pcs.         Quantity per Pallet (80 x 120 x 180-200 cm)       40 Pcs         Quantity Per Layer (Pallet)       10 Pcs.         Box Length       800 mm         Box Width       455 mm         Box Height       415 mm         Length       470 mm         Width       470 mm         Height       380 mm         Net Weight       1.76 kg         Weight cardboard (Recycling symbol "20" PAP)       0.21 kg         Tare total       0.21 kg         Gross Weight       1.97 kg         Cubic metre       0.083942 M3         Recommended sterilisation temperature (Autoclave)       121 °C         Max. cleaning temperature (Dishwasher)       93 °C         Max usage temperature (non food contact)       100 °C         Min. usage temperature       2.0 °C         Max. drying temperature       120 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher         Yes           PFAS, Phthalates and BPA intentionally added         No           Design Registration No.         EU 002914119-1-3, US Design D916411, CB 900029141190001-3           Box Quantity         5 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         40 Pcs           Quantity Per Layer (Pallet)         10 Pcs.           Box Length         800 mm           Box Width         455 mm           Box Height         415 mm           Length         470 mm           Width         470 mm           Height         380 mm           Net Weight         1.76 kg           Weight cardboard (Recycling symbol "20" PAP)         0.21 kg           Tare total         0.21 kg           Gross Weight         1.97 kg           Cubic metre         0.083942 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (food contact)         100 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         2.0 °C           Max. drying temperature         120 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added         No           Design Registration No.         EU 002914119-1-3, US Design D916411, GB 900029141190001-3           Box Quantity         5 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         40 Pcs           Quantity Per Layer (Pallet)         10 Pcs.           Box Length         800 mm           Box Width         455 mm           Box Height         415 mm           Length         470 mm           Width         470 mm           Height         380 mm           Net Weight         1.76 kg           Weight cardboard (Recycling symbol "20" PAP)         0.21 kg           Tare total         0.21 kg           Gross Weight         1.97 kg           Cubic metre         0.083942 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max cleaning temperature (Dishwasher)         93 °C           Max usage temperature (not food contact)         100 °C           Min. usage temperature (not food contact)         100 °C           Max. drying temperature         120 °C	Complies with California Proposition 65	Yes
Design Registration No.EU 002914119-1-3, US Design D916411, GB 900029141190001-3Box Quantity5 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)40 PcsQuantity Per Layer (Pallet)10 Pcs.Box Length800 mmBox Width455 mmBox Height415 mmLength470 mmWidth470 mmHeight380 mmNet Weight cardboard (Recycling symbol "20" PAP)0.21 kgTare total0.21 kgGross Weight1.97 kgCubic metre0.083942 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature120 °C	Complies with Halal and Kosher	Yes
Box Quantity         5 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         40 Pcs           Quantity Per Layer (Pallet)         10 Pcs.           Box Length         800 mm           Box Width         455 mm           Box Height         415 mm           Length         470 mm           Width         470 mm           Height         380 mm           Net Weight         1.76 kg           Weight cardboard (Recycling symbol "20" PAP)         0.21 kg           Tare total         0.21 kg           Gross Weight         1.97 kg           Cubic metre         0.083942 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         2.0 °C           Max. drying temperature         120 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm)40 PcsQuantity Per Layer (Pallet)10 Pcs.Box Length800 mmBox Width455 mmBox Height415 mmLength470 mmWidth470 mmHeight380 mmNet Weight cardboard (Recycling symbol "20" PAP)0.21 kgTare total0.21 kgGross Weight1.97 kgCubic metre0.083942 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature100 °CMin. usage temperature120 °CMax. drying temperature120 °C	Design Registration No.	Design D916411, GB
Quantity Per Layer (Pallet)         10 Pcs.           Box Length         800 mm           Box Width         455 mm           Box Height         415 mm           Length         470 mm           Width         470 mm           Height         380 mm           Net Weight         1.76 kg           Weight cardboard (Recycling symbol "20" PAP)         0.21 kg           Gross Weight         1.97 kg           Cubic metre         0.083942 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         100 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature 3         -20 °C           Max. drying temperature         120 °C	Box Quantity	5 Pcs.
Box Length800 mmBox Width455 mmBox Height415 mmLength470 mmWidth470 mmHeight380 mmNet Weight1.76 kgWeight cardboard (Recycling symbol "20" PAP)0.21 kgTare total0.21 kgGross Weight1.97 kgCubic metre0.083942 M3Recommended sterilisation temperature (Autoclave)121 °CMax cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	40 Pcs
Box Width455 mmBox Height415 mmLength470 mmWidth470 mmHeight380 mmNet Weight1.76 kgWeight cardboard (Recycling symbol "20" PAP)0.21 kgTare total0.21 kgGross Weight1.97 kgCubic metre0.083942 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Quantity Per Layer (Pallet)	10 Pcs.
Box Height415 mmLength470 mmWidth470 mmHeight380 mmNet Weight1.76 kgWeight cardboard (Recycling symbol "20" PAP)0.21 kgTare total0.21 kgGross Weight1.97 kgCubic metre0.083942 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Box Length	800 mm
Length470 mmWidth470 mmHeight380 mmNet Weight1.76 kgWeight cardboard (Recycling symbol "20" PAP)0.21 kgTare total0.21 kgGross Weight1.97 kgCubic metre0.083942 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Box Width	455 mm
Width470 mmHeight380 mmNet Weight1.76 kgWeight cardboard (Recycling symbol "20" PAP)0.21 kgTare total0.21 kgGross Weight1.97 kgCubic metre0.083942 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Box Height	415 mm
Height380 mmNet Weight1.76 kgWeight cardboard (Recycling symbol "20" PAP)0.21 kgTare total0.21 kgGross Weight1.97 kgCubic metre0.083942 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Length	470 mm
Net Weight1.76 kgWeight cardboard (Recycling symbol "20" PAP)0.21 kgTare total0.21 kgGross Weight1.97 kgCubic metre0.083942 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Width	470 mm
Weight cardboard (Recycling symbol "20" PAP)0.21 kgTare total0.21 kgGross Weight1.97 kgCubic metre0.083942 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Height	380 mm
Tare total 0.21 kg  Gross Weight 1.97 kg  Cubic metre 0.083942 M3  Recommended sterilisation temperature (Autoclave) 121 °C  Max. cleaning temperature (Dishwasher) 93 °C  Max usage temperature (food contact) 100 °C  Max usage temperature (non food contact) 100 °C  Min. usage temperature 3 -20 °C  Max. drying temperature 120 °C	Net Weight	1.76 kg
Gross Weight  Cubic metre  0.083942 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  120 °C  Max. drying temperature	Weight cardboard (Recycling symbol "20" PAP)	0.21 kg
Cubic metre 0.083942 M3  Recommended sterilisation temperature (Autoclave) 121 °C  Max. cleaning temperature (Dishwasher) 93 °C  Max usage temperature (food contact) 100 °C  Max usage temperature (non food contact) 100 °C  Min. usage temperature³ -20 °C  Max. drying temperature 120 °C	Tare total	0.21 kg
Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  93 °C  Max usage temperature (food contact)  100 °C  Max usage temperature (non food contact)  100 °C  Min. usage temperature³  -20 °C  Max. drying temperature	Gross Weight	1.97 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Cubic metre	0.083942 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature <sup>3</sup> -20 °C  Max. drying temperature 120 °C	Max usage temperature (food contact)	100 °C
Max. drying temperature 120 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature <sup>3</sup>	-20 °C
Min. pH-value in usage concentration 2 pH	Max. drying temperature	120 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020569265
GTIN-14 Number (Box quantity)	15705020569262
Customs Tariff No.	39239000
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.