Washing Brush with short handle, 270 mm, Soft, Red





With an ergonomic short handle and very soft bristles that retain water and chemicals to improve cleaning efficacy, this Washing Brush is perfect for cleaning fragile surfaces such as glass and Perspex.

It is also suitable for coating of e.g. cheese with wax.

Technical Data

Bristle stiffness Soft Visible bristle length 46 mm Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation I CFR 21¹ Yes Complies with EAGH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3 GB 2025700-0001-3 GB 20257000001-3 GB 202570000	Item Number	41984
Material Polypropylene Polyester (PBT) Staintess Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with TPA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3 GB 2025700-0001-3 GB 20257000001-3 GB 2025700001-3 GB 20257000001-3 GB 2025700001-3 GB 2025700001-3 GB 2025700001-3 GB 2025700001-3 GB 202570	Bristle stiffness	Soft
Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 720 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 440 mm Box Width 250 mm Box Width 250 mm Box Height 97 mm Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0056 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.065 kg Tare total 0.001701 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning t	Visible bristle length	46 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes FPAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3 GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 720 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 440 mm Box Width 250 mm Box Height 97 mm Length 270 mm Width 70 mm Height 90 mm Net Weight 0.224 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.055 kg Weight cardboard (Recycling symbol "20" PAP) 0.065 kg Tare total 0.0706 kg Gross Weight 0.29 kg Cubic metre 0.001701 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 30 °C Max usage temperature (non food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature -20 °C	Material	(PBT) Stainless Steel
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3, GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 720 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 440 mm Box Width 250 mm Box Height 97 mm Length 270 mm Width 70 mm Height 90 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.056 kg Weight cardboard (Recycling symbol "20" PAP) 0.065 kg Gross Weight 0.29 kg Cubic metre 0.001701 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3, GB 20257000001-3, GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 720 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 440 mm Box Width 250 mm Box Height 97 mm Length 270 mm Width 70 mm Height 90 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.056 kg Weight cardboard (Recycling symbol "4") LDPE ≥ PCR 30% 0.056 kg Gross Weight 0.29 kg Cubic metre 0.001701 M3 Recommended sterillisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature (non food contact) 100 °C		Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3, GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 720 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 440 mm Box Width 250 mm Box Height 97 mm Length 270 mm Width 70 mm Height 90 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.056 kg Weight cardboard (Recycling symbol "4") LDPE ≥ PCR 30% 0.056 kg Weight cardboard (Recycling symbol "20" PAP) 0.065 kg Tare total 0.0706 kg Gross Weight 0.29 kg Cubic metre 0.001701 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature (non food contact)	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3, GB 20257000001-3, GB 20257000001-3, GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 720 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 440 mm Box Width 250 mm Box Height 97 mm Length 270 mm Width 70 mm Height 90 mm Net Weight 0.224 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.065 kg Tare total 0.0706 kg Gross Weight 0.29 kg Cubic metre 0.001701 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3 GB 20257000001-3 GB 2025700001-3 GB 20257000001-3 GB 2025700001-3 GB 202570001-3 GB 2025700001-3 GB 20257000	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002025700-0001-3 GB 20257000001-3 GB 2025700001-3 GB 202570001-3 G	Complies with California Proposition 65	Yes
Design Registration No. EU 002025700-0001-3 GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 720 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 440 mm Box Width 250 mm Box Height 97 mm Length 270 mm Width 70 mm Height 90 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.065 kg Tare total 0.0706 kg Gross Weight 0.29 kg Cubic metre 0.001701 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C	Complies with Halal and Kosher	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 720 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 440 mm Box Width 250 mm Box Height 97 mm Length 270 mm Width 70 mm Height 90 mm Net Weight 0.224 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.065 kg Tare total 0.0706 kg Gross Weight 0.29 kg Cubic metre 0.001701 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm) 720 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 440 mm Box Width 250 mm Box Height 97 mm Length 270 mm Width 70 mm Height 90 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0056 kg Weight cardboard (Recycling symbol "20" PAP) 0.065 kg Tare total 0.0706 kg Gross Weight 0.29 kg Cubic metre 0.001701 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C	Design Registration No.	
Quantity Per Layer (Pallet)60 Pcs.Box Length440 mmBox Width250 mmBox Height97 mmLength270 mmWidth70 mmHeight90 mmNet Weight0.224 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0706 kgGross Weight0.29 kgCubic metre0.001701 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Quantity	10 Pcs.
Box Length440 mmBox Width250 mmBox Height97 mmLength270 mmWidth70 mmHeight90 mmNet Weight0.224 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0706 kgGross Weight0.29 kgCubic metre0.001701 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	720 Pcs
Box Width250 mmBox Height97 mmLength270 mmWidth70 mmHeight90 mmNet Weight0.224 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0706 kgGross Weight0.29 kgCubic metre0.001701 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Quantity Per Layer (Pallet)	60 Pcs.
Box Height97 mmLength270 mmWidth70 mmHeight90 mmNet Weight0.224 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0706 kgGross Weight0.29 kgCubic metre0.001701 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Length	440 mm
Length270 mmWidth70 mmHeight90 mmNet Weight0.224 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0706 kgGross Weight0.29 kgCubic metre0.001701 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Width	250 mm
Width70 mmHeight90 mmNet Weight0.224 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0706 kgGross Weight0.29 kgCubic metre0.001701 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Box Height	97 mm
Height90 mmNet Weight0.224 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0706 kgGross Weight0.29 kgCubic metre0.001701 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Length	270 mm
Net Weight0.224 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0706 kgGross Weight0.29 kgCubic metre0.001701 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Width	70 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0056 kgWeight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0706 kgGross Weight0.29 kgCubic metre0.001701 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Height	90 mm
Weight cardboard (Recycling symbol "20" PAP)0.065 kgTare total0.0706 kgGross Weight0.29 kgCubic metre0.001701 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Net Weight	0.224 kg
Tare total 0.0706 kg Gross Weight 0.29 kg Cubic metre 0.001701 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.0056 kg
Gross Weight Cubic metre 0.001701 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C	Weight cardboard (Recycling symbol "20" PAP)	0.065 kg
Cubic metre0.001701 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Tare total	0.0706 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C	Gross Weight	0.29 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Cubic metre	0.001701 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature³ -20 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C	Max usage temperature (food contact)	80 °C
	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH	Min. usage temperature ³	-20 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705022030718
GTIN-14 Number (Box quantity)	15705028030764
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.