

2977Q



Fibre Glass Telescopic
Handle only for
Condensation Squeegee
7716x (Q), 1880 - 6000 mm
Ø34 mm, Grey



Ideal for removing condensation from ceilings in pipes, this telescopic fibreglass handle is used with the condensation squeegee (7716). Cannot be used as a waterfed handle.

Technical Data

Item Number	2977Q
Connection	Threaded
Material	Fibreglass Polypropylene Chromium-plated brass
Complies with (EC) 1935/2004 on food contact materials ¹	No
Complies with UK 2019 No. 704 on food contact materials	No
Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	No
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	Yes
Box Quantity	1 Pcs.
Quantity per Pallet (80 x 120 x approx.180 cm)	99 Pcs
Quantity Per Layer (Pallet)	11 Pcs.
Box Length/Depth	1980 mm
Box Width	60 mm
Box Height	60 mm
Product Diameter	34 mm
Product Length/Depth	1880 mm
Product Width	34 mm
Product Height	34 mm
Max. Length	6000 mm
Net Weight	1.84 kg
Weight cardboard (Recycling symbol "20" PAP)	0.255 kg
Total Tare Weight	0.255 kg
Gross Weight	2.1 kg
Cubic metre	0.002173 M3
Recommended sterilisation temperature (Autoclave)	100 °C
Max usage temperature (non food contact)	80 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020297748
GTIN-14 Number (Box quantity)	5705020297748
Customs Tariff Number	96039099
UNSPSC Code	47131609
Country of Origin ISO Code	FI
Country of Origin	Finland

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.