

297152C



Aluminium Telescopic
Handle, waterfed, w/Click
Coupling (C), 1060 - 1600
mm, Ø32 mm, Black



This professional telescopic water-fed handle has an insulated sleeve for a comfortable grip and a 1/2" quick coupling. Maximum water pressure, 6 bars.

Technical Data

| | |
|---|--|
| Item Number | 297152C |
| Connection | Euro Threaded |
| Material | Anodised Aluminium Polypropylene Chromium-plated brass |
| Complies with REACH Regulation (EC) No. 1907/2006 | Yes ** |
| Complies with California Proposition 65 | No |
| SCIP number | e49c50b5-7653-429c-b8f3-803d37b5fetc |
| Complies with Halal and Kosher | Yes |
| PFAS intentionally added | No |
| Phthalates intentionally added | No |
| Bisphenols intentionally added | No |
| Box Quantity | 5 Pcs. |
| Quantity per Pallet (80 x 120 x approx.180 cm) | 200 Pcs |
| Quantity Per Layer (Pallet) | 1 Pcs. |
| Box Length/Depth | 1390 mm |
| Box Width | 90 mm |
| Box Height | 85 mm |
| Product Diameter | 32 mm |
| Product Length/Depth | 1060 mm |
| Product Width | 32 mm |
| Product Height | 32 mm |
| Max. Length | 1600 mm |
| Net Weight | 0.64 kg |
| Cardboard Packaging (Recycling symbol "20" PAP) | 0.09 kg |
| Total Tare Weight | 0.09 kg |
| Gross Weight | 0.73 kg |
| Cubic metre | 0.001085 M3 |
| Max. bars pressure | 6 Bar |
| Max usage temperature (non food contact) | 50 °C |
| GTIN-13 Number | 5705022971523 |
| GTIN-14 Number (Box quantity) | 15705022971520 |
| Customs Tariff Number | 76169990 |
| Country of Origin ISO Code | DK |
| Country of Origin | Denmark |

** Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern

(SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is registered in the EU SCIP database. Please find SCIP number above.