

53525

Flexible handle, Nylon, Ø6  
mm, 1505 mm, White



This flexible Nylon Handle makes it easy to clean inside long curved feeder pipes.  
Can be used with 5354x, 5356x, 5365x, 5368x and 5391x tube cleaners.

# Technical Data

Item Number	53525
Material	Polypropylene Polyamide Stainless Steel (AISI 303)
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulationl CFR 21 <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	No
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	1500 Pcs
Quantity Per Layer (Pallet)	40 Pcs.
Box Length	1610 mm
Box Width	160 mm
Box Height	70 mm
Product Diameter	6 mm
Product Length/Depth	1505 mm
Product Width	6 mm
Product Height	6 mm
Net Weight	0.08 kg
Weight cardboard (Recycling symbol "20" PAP)	0.04 kg
Tare total	0.04 kg
Gross Weight	0.12 kg
Cubic metre	5.4E-05 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max usage temperature (food contact)	100 °C
Max usage temperature (non food contact)	100 °C
Min. usage temperature <sup>3</sup>	-20 °C
Max. drying temperature	100 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020053528
GTIN-14 Number (Box quantity)	15705020053525

**Customs Tariff No.**

39241000

**Country of origin**

Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 0° Celsius.