704788 High-Low Brush, 265 mm, Medium, Grey







Effectively clean and scrub floor-wall junctions and under machines and equipment with this High-Low Brush, featuring an angled thread that lets you use the brush with the handle positioned parallel to the floor. Also ideal for cleaning drains and gulleys.

Technical Data

Bristle stiffness Medium Visible bristle length 41 mm Material Polypropylene Polypester (RET) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EQ Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation 1CFR 21' Yes Complies with FDA Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002533729-1-5, GB 9002533729-001-5 Box Quantity 10 Pes. Quantity per Pallet (80 x 120 x 180-200 cm) 320 Pes Quantity Per Layer (Pallet) 40 Pcs. Box Length 610 mm Box Width 200 mm Box Width 200 mm Medium 150 mm Height 0.078 kg Wight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) 0.0522 kg Tare total 0.068 kg 0.056 kg Gubic metre 0.0397	Item Number	704788
Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Yes Complies with FDA Regulation 1 CFR 21' Yes Complies with EU Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002533729-1-5, GB Box Quantity 10 Pcs. Quantity Per Layer (Pallet) 40 Pcs. Box Length 610 mm Box Vidth 290 mm Box Height 200 mm Length 610 mm Box Kith 150 mm Weight cardboard (Recycling symbol "4" Low Density Polyethylene 0.0078 kg (LDPE) 0.0522 kg Tare total 0.06 kg Gross Weight 0.56 kg Coubic metre 0.003975 M3 Recommended sterillisation temperature (Autoclave) 121	Bristle stiffness	Medium
(PBT) Stanless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Complies with EU Regulation 2023/2006/EC of Good Yes Manufacturing Practice Yes Complies with FDA Regulation 1CFR 21' Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002533729-1-5, GB Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 320 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length 610 mm Box Width 290 mm Box Height 200 mm Length 655 mm Width 150 mm Height 0.0078 kg (LDPE)) 0.0522 kg Tare total 0.06 kg Gross Weight 0.56 kg Cubic metre 0.003975 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (tood contact) 80 °C </th <th>Visible bristle length</th> <th>41 mm</th>	Visible bristle length	41 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA RegulationI CFR 211YesComplies with UX 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002533729-1-5, GBBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)320 Pcs.Quantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Kidth290 mmBox Height100 rmBox Kidth200 mmLength265 mmWidth150 mmHeight0.078 kg(LDPE))0.0522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)00 °C	Material	(PBT) Stainless Steel
Manufacturing Practice Complies with FDA RegulationI CFR 211 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002533729-1-5, GB 9002533729001-5 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 320 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length 610 mm Box Width 290 mm Box Height 200 mm Box Height 200 mm Box Height 000 mm Length 100 mm No 265 mm Width 100 mm Net Weight 0.5 kg Weight Cardboard (Recycling Symbol "20" PAP) 0.0522 kg Tare total 0.06 kg Gross Weight 0.56 kg Cubic metre 0.003975 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002533729-1-5, GBBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)320 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength265 mmWidth150 mmHeight0.078 kg(LDPE))0.0522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °C		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002533729-1-5, GBBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)320 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength265 mmWidth150 mmHeight0.078 kg(LDPE))0.0522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002533729-1-5, GB 90025337290001-5Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)320 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength265 mmWidth150 mmHeight100 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.0522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002533729.1-5, GB 90025337290001-5Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)320 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength265 mmWidth150 mmHeight100 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.0522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoDesign Registration No.EU 002533729-1-5, GB 9002533729001-5Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)320 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength265 mmWidth150 mmHeight0.0 fkgWidth0.5 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Complies with California Proposition 65	Yes
Design Registration No.EU 002533729-1-5, GB 9002533729001-5Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)320 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength265 mmWidth150 mmHeight0.0 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0078 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Complies with Halal and Kosher	Yes
Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)320 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength265 mmWidth150 mmHeight100 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.0522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm)320 PcsQuantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Height200 mmLength265 mmWidth150 mmHeight0.00 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.0522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Design Registration No.	
Quantity Per Layer (Pallet)40 Pcs.Box Length610 mmBox Width290 mmBox Width200 mmLength265 mmWidth150 mmHeight100 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.0522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °C	Box Quantity	10 Pcs.
Box Length610 mmBox Width290 mmBox Height200 mmLength265 mmWidth150 mmHeight100 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.0522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	320 Pcs
Box Width290 mmBox Height200 mmLength265 mmWidth150 mmHeight100 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.0522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °C	Quantity Per Layer (Pallet)	40 Pcs.
Box Height200 mmLength265 mmWidth150 mmHeight100 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.0522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °C	Box Length	610 mm
Length265 mmWidth150 mmHeight100 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.0522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °C	Box Width	290 mm
Width150 mmHeight100 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.0522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Box Height	200 mm
Height100 mmNet Weight0.5 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.0522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Length	265 mm
Net Weight0.5 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.0522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °C	Width	150 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0078 kgWeight cardboard (Recycling symbol "20" PAP)0.0522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °C	Height	100 mm
(LDPE))0.0522 kgWeight cardboard (Recycling symbol "20" PAP)0.0522 kgTare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Net Weight	0.5 kg
Tare total0.06 kgGross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C		0.0078 kg
Gross Weight0.56 kgCubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Weight cardboard (Recycling symbol "20" PAP)	0.0522 kg
Cubic metre0.003975 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Tare total	0.06 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Gross Weight	0.56 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Cubic metre	0.003975 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °C	Max. cleaning temperature (Dishwasher)	93 °C
	Max usage temperature (food contact)	80 °C
Min. usage temperature³-20 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-20 °C

Max. drying temperature	100 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705022014657
GTIN-14 Number (Box quantity)	15705028014689
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact

3. Do not store the product below 0° Celsius.