

0715

# Quick Fit Hose Coupling with 1/2" thread for 9324x, 3/4"(Q)



3/4" quick coupling with 1/2" thread. Fits water gun 9324x.

# Technical Data

|   |   |
|---|---|
| Item Number                                       | 0715                                      |
| Couplings Size                                    | 3/4 "                                     |
| Material  | Chromium-plated brass<br>Synthetic rubber |
| Complies with FDA Regulationl CFR 21 <sup>1</sup> | Yes ***                                   |
| Complies with REACH Regulation (EC) No. 1907/2006 | Yes **                                    |
| Complies with California Proposition 65           | No  |
| SCIP number                                       | 095b5bea-9314-4e2d-987b-8726dbd84c43      |
| Complies with Halal and Kosher                    | Yes                                       |
| PFAS, Phthalates and BPA intentionally added      | No  |
| Box Quantity                                      | 10 Pcs.                                   |
| Quantity per Pallet (80 x 120 x approx.180 cm)    | 200 Pcs                                   |
| Quantity Per Layer (Pallet)                       | 0 Pcs.                                    |
| Box Length/Depth                                  | 330 mm                                    |
| Box Width   | 180 mm                                    |
| Box Height  | 85 mm                                     |
| Product Length/Depth                              | 160 mm                                    |
| Product Width                                     | 67 mm                                     |
| Product Height                                    | 35 mm                                     |
| Net Weight  | 0.05 kg                                   |
| Weight cardboard (Recycling symbol "20" PAP)      | 0.0111 kg                                 |
| Total Tare Weight                                 | 0.0111 kg                                 |
| Gross Weight                                      | 0.06 kg                                   |
| Cubic metre                                       | 0.000375 M3                               |
| Max. cleaning temperature (Dishwasher)            | 80 °C                                     |
| Max usage temperature (non food contact)          | 70 °C                                     |
| Min. usage temperature <sup>3</sup>               | -30 °C                                    |
| Min. pH-value in usage concentration              | 2 pH                                      |
| Max. pH-value in Usage Concentration              | 11 pH                                     |
| Max. bars pressure                                | 25 Bar                                    |
| GTIN-13 Number                                    | 5705020007156                             |
| GTIN-14 Number (Box quantity)                     | 15705020007153                            |
| Customs Tariff Number                             | 74122000                                  |
| Country of Origin ISO Code                        | DK  |
| Country of Origin                                 | Denmark                                   |

The hose coupling on the hose and foaming gun have to be greased regularly to maintain the coupling

ability on the equipment. The grease applied during mounting will be rinsed away by the water flow and thus needs to be renewed.

\*\* Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is registered in the EU SCIP database. Please find SCIP number above.

\*\*\* The product is suitable for use with water only and not for direct food contact.