53801032

Pipe Cleaning Brush f/handle, Ø103 mm, Medium, Green







Easily clean pipes and tubes on appliances such as meat mincers with this versatile Pipe Cleaning Brush. Can be used with any Vikan handle.

## **Technical Data**

Item Number53801032Bristle stiffnessMedlumVisible bristle length37 mmConnectionThreadedMaterialPolypropylene Polyester (PBT) Stainless Steel (AISI 304L)Complies with (EC) 1935/2004 on food contact materials'YesComplies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with ED Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with EACH Regulation (CE) No. 1907/2006YesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with Alal and KosherYesPFAS, Phthalates and BPA Intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)576 PcsQuantity Per Layer (Pallet)600 Pcs.Box Length/Depth1170 mmProduct Diameter103 mmProduct Length/Depth170 mmProduct Length/Depth0.063 kgWeight cardboard (Recycling symbol "20" PAP)0.028 kgTotal Tare Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Ios contact)80 °CMax usage temperature80 °CMax usage temperature600 °C <td< th=""><th></th><th></th></td<>		
Visible bristle length37 mmConnectionThreadedMaterialPolypropylene Polyester (PBT) Stainless Steel (AISI 304L)Complies with (EC) 1935/2004 on food contact materials'YesComplies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA Regulation 1 CFR 211YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with California Proposition 65YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)576 Pcs.Quantity Per Layer (Pallet)60 Pcs.Box Height210 mmProduct Diameter103 mmProduct Diameter103 mmProduct Usight0.068 kgWeight bag (Recycling symbol "20" PAP)0.028 kgTotal Tare Weight0.19 kgQualit cardboard (Recycling symbol "20" PAP)0.028 kgCotal reader0.0017 M3Streader0.19 kgCubic metre0.0017 M3Cubic metre0.0017 M3Cubic metre0.0017 M3Cubic metre0.0017 M3Consolite stemperature (food contact)80 °CMax usage temperature (los contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature?-20 °C	Item Number	53801032
Connection     Threaded       Material     Polypropylene Polyester (PBT) Stainless Steel (AISI 304L)       Complies with EC) 1935/2004 on food contact materials'     Yes       Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice     Yes       Complies with EU Regulation 1CFR 21'     Yes       Complies with UK 2019 No. 704 on food contact materials     Yes       Complies with California Proposition 65     Yes       Complies with Halal and Kosher     Yes       PFAS, Phthalates and BPA intentionally added     No       Box Quantity     10 Pcs.       Quantity per Pallet (80 x 120 x approx.180 cm)     576 Pcs       Quantity Per Layer (Pallet)     60 Pcs.       Box Length/Depth     415 mm       Box Width     300 mm       Box Height     210 mm       Product Diameter     103 mm       Product Length/Depth     170 mm       Product Height     0.063 kg       Weight bag (Recycling Symbol "4")     0.028 kg       Otal Tare Weight     0.18 kg       Cubic metre     0.0017 M3       Recommended sterilisation temperature (Autoclave)     121 °C       Max usage tem	Bristle stiffness	Medium
Material     Polypropylene Polyester (PBT) Stainless Steel (AISI 304L)       Complies with (EC) 1935/2004 on food contact materials'     Yes       Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice     Yes       Complies with EDA Regulation CFR 21'     Yes       Complies with CA Regulation (EC) No. 1907/2006     Yes       Complies with REACH Regulation (EC) No. 1907/2006     Yes       Complies with California Proposition 65     Yes       Complies with Hala and Kosher     Yes       PFAS, Phthalates and BPA intentionally added     No       Box Quantity     10 Pcs.       Quantity per Pallet (80 x 120 x approx.180 cm)     576 Pcs       Quantity Per Layer (Pallet)     60 Pcs.       Box Length/Depth     415 mm       Box Width     300 mm       Box Height     210 mm       Product Diameter     103 mm       Product Length/Depth     170 mm       Product Width     0.0063 kg       Weight cardboard (Recycling symbol "20" PAP)     0.028 kg       Cubic metre     0.017 M3       Recommended sterilisation temperature (Autoclave)     121 °C       Max usage temperature (nof docontact)     8	Visible bristle length	37 mm
(PBT) Stainless Steel (AISI 304L)     Complies with (EC) 1935/2004 on food contact materials'   Yes     Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice   Yes     Complies with FDA Regulation CFR 21'   Yes     Complies with REACH Regulation (EC) No. 1907/2006   Yes     Complies with California Proposition 65   Yes     Complies with Halal and Kosher   Yes     PFAS, Phthalates and BPA intentionally added   No     Box Quantity   10 Pcs.     Quantity per Pallet (80 x 120 x approx.180 cm)   576 Pcs     Quantity Per Layer (Pallet)   60 Pcs.     Box Length/Depth   415 mm     Box Kidth   300 mm     Box Length/Depth   103 mm     Product Diameter   103 mm     Product Height   0.016 kg     Weight bag (Recycling Symbol "4")   0.0028 kg     Veight bag (Recycling Symbol "4")   0.028 kg     Cotal rare Weight   0.16 kg     Weight bag (Recycling Symbol "20" PAP)   0.028 kg     Cotal rare Weight   0.19 kg     Cubic metre   0.0017 M3     Recommended sterilisation temperature (Autoclave)   121 °C     Max usage temperatur	Connection	Threaded
Compiles with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesCompiles with FDA Regulation CFR 21'YesCompiles with UK 2019 No. 704 on food contact materialsYesCompiles with REACH Regulation (EC) No. 1907/2006YesCompiles with California Proposition 65YesCompiles with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)576 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length/Depth4115 mmBox Width300 mmBox Height210 mmProduct Diameter103 mmProduct Length/Depth170 mmProduct Width100 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4")0.0083 kgVeight cardboard (Recycling symbol "20" PAP)0.028 kgTotal Tare Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature (non food contact)60 °CMin. usage temperature *-20 °C	Material	(PBT) Stainless Steel
Manufacturing PracticeComplies with FDA RegulationI CFR 21'YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)576 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length/Depth4115 mmBox Width300 mmBox Height210 mmProduct Diameter103 mmProduct Length/Depth170 mmProduct Height0.063 kgWeight bag (Recycling Symbol "20" PAP)0.028 kgTotal Tare Weight0.18 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature "0.000 contact)80 °CMin. usage temperature "0.000 contact)80 °CMin. usage temperature "0.000 contact)80 °CMax usage temperature "0.000 contact)80 °C <t< td=""><td>Complies with (EC) 1935/2004 on food contact materials<sup>1</sup></td><td>Yes</td></t<>	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with California Proposition 65YesQuantity Per Layer (Pallet)60Box Length/Depth100 Pros.Box Length/Depth415 mmBox Width300 mmBox Height100 mmProduct Length/Depth170 mmProduct Height0.00 mmNet Weight bag (Recycling Symbol "4")0.008 kgWeight bag (Recycling Symbol "20" PAP)0.028 kgCotal Tare Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature³<	•	Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)576 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length/Depth415 mmBox Width300 mmBox Height210 mmProduct Diameter103 mmProduct Length/Depth170 mmProduct Height0.063 kgWeight bag (Recycling Symbol "20" PAP)0.028 kgTotal Tare Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature*-20 °CWin. usage temperature*-20 °C	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)576 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length/Depth415 mmBox Width300 mmBox Height210 mmProduct Diameter103 mmProduct Length/Depth170 mmProduct Length/Depth0.063 kgWeight dight0.0063 kgWeight bag (Recycling Symbol "4")0.028 kgCotal Tare Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperatures-20 °CMin. usage temperature3-20 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)576 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length/Depth415 mmBox Width300 mmBox Height210 mmProduct Diameter103 mmProduct Length/Depth170 mmProduct Width100 mmNoMet Weight0.0063 kgWeight bag (Recycling Symbol "4")0.0083 kgGross Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature*-20 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)576 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length/Depth415 mmBox Width300 mmBox Height210 mmProduct Diameter103 mmProduct Length/Depth170 mmProduct Width100 mmProduct Width100 mmProduct Width0.063 kgWeight bag (Recycling Symbol "4")0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.028 kgTotal Tare Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperatures-20 °C	Complies with California Proposition 65	Yes
Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x approx.180 cm)576 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length/Depth415 mmBox Width300 mmBox Height210 mmProduct Diameter103 mmProduct Length/Depth170 mmProduct Length/Depth170 mmProduct Height00 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4")0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.028 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x approx.180 cm)576 PcsQuantity Per Layer (Pallet)60 Pcs.Box Length/Depth415 mmBox Width300 mmBox Height210 mmProduct Diameter103 mmProduct Length/Depth170 mmProduct Width100 mmProduct Height0.16 kgWeight bag (Recycling Symbol "4")0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.028 kgTotal Tare Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)60 Pcs.Box Length/Depth415 mmBox Width300 mmBox Height210 mmProduct Diameter103 mmProduct Length/Depth170 mmProduct Width100 mmProduct Height0.00 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4")0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.028 kgTotal Tare Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Box Quantity	10 Pcs.
Box Length/Depth415 mmBox Width300 mmBox Height210 mmProduct Diameter103 mmProduct Length/Depth170 mmProduct Width100 mmProduct Height100 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4")0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.028 kgTotal Tare Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperatures-20 °C	Quantity per Pallet (80 x 120 x approx.180 cm)	576 Pcs
Box Width300 mmBox Height210 mmProduct Diameter103 mmProduct Length/Depth170 mmProduct Width100 mmProduct Height100 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4")0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.028 kgTotal Tare Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Quantity Per Layer (Pallet)	60 Pcs.
Box Height210 mmProduct Diameter103 mmProduct Length/Depth170 mmProduct Width100 mmProduct Height100 mmProduct Height0.16 kgWeight bag (Recycling Symbol "4")0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.028 kgTotal Tare Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Box Length/Depth	415 mm
Product Diameter103 mmProduct Length/Depth170 mmProduct Width100 mmProduct Height100 mmProduct Height0.16 kgWeight bag (Recycling Symbol "4")0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.028 kgTotal Tare Weight0.0343 kgGross Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMin. usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Box Width	300 mm
Product Length/Depth170 mmProduct Width100 mmProduct Height100 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4")0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.028 kgTotal Tare Weight0.0343 kgGross Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Box Height	210 mm
Product Width100 mmProduct Height100 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4")0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.028 kgTotal Tare Weight0.0343 kgGross Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMin. usage temperature3-20 °C	Product Diameter	103 mm
Product Height100 mmNet Weight0.16 kgWeight bag (Recycling Symbol "4")0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.028 kgTotal Tare Weight0.0343 kgGross Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Product Length/Depth	170 mm
Net Weight0.16 kgWeight bag (Recycling Symbol "4")0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.028 kgTotal Tare Weight0.0343 kgGross Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Product Width	100 mm
Weight bag (Recycling Symbol "4")0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.028 kgTotal Tare Weight0.0343 kgGross Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Product Height	100 mm
Weight cardboard (Recycling symbol "20" PAP)0.028 kgTotal Tare Weight0.0343 kgGross Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Net Weight	0.16 kg
Total Tare Weight0.0343 kgGross Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Weight bag (Recycling Symbol "4")	0.0063 kg
Gross Weight0.19 kgCubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Weight cardboard (Recycling symbol "20" PAP)	0.028 kg
Cubic metre0.0017 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Total Tare Weight	0.0343 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Gross Weight	0.19 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Cubic metre	0.0017 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature <sup>3</sup> -20 °C	Max usage temperature (food contact)	80 °C
	Max usage temperature (non food contact)	100 °C
Max. drying temperature100 °C	Min. usage temperature <sup>3</sup>	-20 °C
	Max. drying temperature	100 °C

Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705025380216
GTIN-14 Number (Box quantity)	15705025380213
Customs Tariff Number	96039099
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.