Mixer, Small Blade, Ø31 mm, 890 mm, White







Stir food ingredients in large pots and vats with the small mixer. Heat resistant to 170°C.

Do not leave the mixer in the pot/vat when not stirring.

Technical Data

Recycling Symbol "7", Miscellaneous Plastics Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS intentionally added No Box Quantity 1 Pes. Quantity Per Pallet (80 x 120 x approx.180 cm) 140 Pes Box Length/Depth 890 mm Box Width 150 mm Box Height 33 mm Product Diameter 31 mm Product Diameter Product Length/Depth 890 mm Product Height 0.92 kg Plastic Packaging (Recycling Symbol "4") 0.0164 kg Gross Weight 0.094 kg Cubic metre 0.004699 M3 Recommended sterilisation temperature (Autoclave) 175 °C Max usage temperature (food contact) 175 °C Max usage temperature (food contact) 175 °C Min. usage temperature Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020700750	Item Number	70075
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with FDA Regulation (FC 21¹ Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 140 Pcs Box Length/Depth Box Width 150 mm Box Width 150 mm Box Width 150 mm Product Diameter 31 mm Product Length/Depth 890 mm Product Length/Depth 890 mm Product Width 160 mm Product Height 0.92 kg Plastic Packaging (Recycling Symbol "4") 0.0164 kg Gross Weight 0.0164 kg Cubic metre 0.004699 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) Min. usage temperature Min. pH-value in usage concentration 2 pH Max. pH-value in usage concentration 10.5 pH GTIN-13 Number 7000 7000 Yes Pes Yes Complies with EAA Regulation tentact materials Yes Complies with HDA Regulation tentation and tentact materials Yes Complies with HDA Regulation tentact Yes Complies with HDA Regulation tentact No. 1990 Hay tentact 10.5 pH GTIN-13 Number 7000 COMPLIES A STOSCO20700750	Material	Polyamide
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation 65 Yes Complies with Halal and Kosher Yes PFAS intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 140 Pcs Box Length/Depth 890 mm Box Width 150 mm Box Width 150 mm Product Diameter 31 mm Product Diameter 31 mm Product Length/Depth 890 mm Product Length/Depth 160 mm Product Height 170 mm Net Weight 10.0164 kg Gross Weight 10.0164 kg Gross Weight 10.0164 kg Cubic metre 10.0046699 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 175 °C Max usage temperature (non food contact) 175 °C Max usage temperature 10.0 °C Max. drying temperature 10.0 °C Min. usage temperature 10.0 °C Min. pH-value in usage concentration 10.5 pH GTIN-13 Number 5705020700750	Recycling Symbol "7", Miscellaneous Plastics	Yes
Manufacturing Practice Complies with FDA Regulation CFR 21¹ Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 140 Pcs. Box Length/Depth 890 mm Box Width 150 mm Box Width 150 mm Box Height 33 mm Product Diameter 31 mm Product Length/Depth 890 mm Product Width 160 mm Product Width 160 mm Product Height 0,92 kg Plastic Packaging (Recycling Symbol "4") 0,0164 kg Gross Weight 0,94 kg Cubic metre 0,0046699 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (Ino food contact) 175 °C Max usage temperature 120 °C Max. drying temperature 120 °C Min. usage temperature 10.5 pH Max. pH-value in usage Concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) Guantity Per Layer (Pallet) Box Length/Depth Box Width 150 mm Box Height Product Diameter Product Length/Depth 890 mm Product Length/Depth 890 mm Product Width 160 mm Product Height No Recycling Symbol "4") 10.0164 kg Gross Weight Cubic metre 0.004699 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Min. pH-value in usage concentration Max. pH-value in usage Concentration To 15 PH GTIN-13 Number	Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS intentionally added Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Box Length/Depth Box Width Box Width Box Height Product Diameter Product Length/Depth Product Length/Depth Product Width 160 mm Product Height Not Weight O.92 kg Plastic Packaging (Recycling Symbol "4") O.0164 kg Gross Weight Cubic metre 0.004699 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Min. pH-value in usage Concentration To pH Max. pH-value in Usage Concentration Max. pH-value in Usage Concentration To pH Max. pH-value in Usage Concentration To pick Time Apple August Apple Augu	Complies with FDA Regulation CFR 21 ¹	Yes
Complies with California Proposition 65 Complies with Halal and Kosher PFAS intentionally added Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Box Length/Depth Box Width 150 mm Box Height 33 mm Product Diameter Product Length/Depth 890 mm Product Width 160 mm Product Height 33 mm Product Height 33 mm Product Height 0.92 kg Plastic Packaging (Recycling Symbol "4") 1.0164 kg Gross Weight 0.0164 kg Gross Weight 0.04699 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature 1.05 °C Max. drying temperature 1.05 °C Max. drying temperature 1.05 °C Max. pH-value in usage Concentration 1.05 pH GTIN-13 Number 700020700750	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher PFAS intentionally added Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) 890 mm Box Length/Depth 890 mm Box Height 33 mm Product Diameter 31 mm Product Length/Depth 890 mm Product Width 160 mm Product Height 33 mm Net Weight 0.92 kg Plastic Packaging (Recycling Symbol "4") Total Tare Weight 0.0164 kg Gross Weight 0.0164 kg Gross Weight 0.0164 kg Cubic metre 0.004699 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature 120 °C Max. drying temperature Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 140 Pcs Quantity Per Layer (Pallet) 0 Pcs. Box Length/Depth 890 mm Box Width 150 mm Box Height 33 mm Product Diameter 31 mm Product Length/Depth 890 mm Product Length/Depth 890 mm Product Width 160 mm Product Height 33 mm Product Height 33 mm Ret Weight 0.92 kg Plastic Packaging (Recycling Symbol "4") 0.0164 kg Gross Weight 0.94 kg Cubic metre 0.004699 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (Inon food contact) 175 °C Max. drying temperature (Inon food contact) 175 °C Max. drying temperature (Inon food contact) 175 °C Max. drying temperature (Inon food contact) 175 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Complies with California Proposition 65	Yes
Box Quantity Per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) O Pcs. Box Length/Depth Box Width Box Width Box Height Product Diameter Product Length/Depth 890 mm Product Length/Depth 890 mm Product Length/Depth 890 mm Product Height 33 mm Product Height 33 mm Product Width 160 mm Product Height 33 mm Product Height 33 mm Product Height 33 mm Ret Weight 0.92 kg Plastic Packaging (Recycling Symbol "4") 0.0164 kg Gross Weight 0.0164 kg Gross Weight 0.04699 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) Min. usage temperature 120 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number	Complies with Halal and Kosher	Yes
Quantity Per Pallet (80 x 120 x approx.180 cm) 140 Pcs Quantity Per Layer (Pallet) 0 Pcs. Box Length/Depth 890 mm Box Height 33 mm Product Diameter 31 mm Product Length/Depth 890 mm Product Width 160 mm Product Height 33 mm Net Weight 0.92 kg Plastic Packaging (Recycling Symbol "4") 0.0164 kg Total Tare Weight 0.0164 kg Gross Weight 0.94 kg Cubic metre 0.004699 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020700750	PFAS intentionally added	No
Quantity Per Layer (Pallet) 0 Pcs. Box Length/Depth 890 mm Box Width 150 mm Box Height 33 mm Product Diameter 31 mm Product Length/Depth 890 mm Product Width 160 mm Product Height 33 mm Net Weight 0.92 kg Plastic Packaging (Recycling Symbol "4") 0.0164 kg Total Tare Weight 0.0164 kg Gross Weight 0.94 kg Cubic metre 0.004699 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020700750	Box Quantity	1 Pcs.
Box Length/Depth Box Width 150 mm Box Height 33 mm Product Diameter 31 mm Product Length/Depth 890 mm Product Length/Depth 890 mm Product Width 160 mm Product Height 33 mm Net Weight 0.92 kg Plastic Packaging (Recycling Symbol "4") 0.0164 kg Gross Weight 0.0164 kg Gross Weight 0.04 kg Cubic metre 0.004699 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number	Quantity per Pallet (80 x 120 x approx.180 cm)	140 Pcs
Box Width Box Height 33 mm Product Diameter 31 mm Product Length/Depth 890 mm Product Width 160 mm Product Height 33 mm Net Weight 0.92 kg Plastic Packaging (Recycling Symbol "4") 0.0164 kg Total Tare Weight 0.0164 kg Gross Weight 0.04 kg Cubic metre 0.004699 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature 120 °C Max. drying temperature 120 °C Max. drying temperature 120 °C Max. pH-value in usage Concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number	Quantity Per Layer (Pallet)	0 Pcs.
Box Height 33 mm Product Diameter 31 mm Product Length/Depth 890 mm Product Width 160 mm Product Height 33 mm Net Weight 0.92 kg Plastic Packaging (Recycling Symbol "4") 0.0164 kg Total Tare Weight 0.0164 kg Gross Weight 0.0164 kg Gross Weight 0.04699 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020700750	Box Length/Depth	890 mm
Product Diameter 31 mm Product Length/Depth 890 mm Product Width 160 mm Product Height 33 mm Net Weight 0.92 kg Plastic Packaging (Recycling Symbol "4") 0.0164 kg Total Tare Weight 0.0164 kg Gross Weight 0.04 kg Cubic metre 0.004699 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature Max. drying temperature Max. pH-value in usage Concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020700750	Box Width	150 mm
Product Length/Depth 890 mm Product Width 160 mm Product Height 33 mm Net Weight 0.92 kg Plastic Packaging (Recycling Symbol "4") 0.0164 kg Total Tare Weight 0.0164 kg Gross Weight 0.046 kg Gross Weight 0.04699 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020700750	Box Height	33 mm
Product Width 160 mm Product Height 33 mm Net Weight 0.92 kg Plastic Packaging (Recycling Symbol "4") 0.0164 kg Total Tare Weight 0.0164 kg Gross Weight 0.94 kg Cubic metre 0.004699 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020700750	Product Diameter	31 mm
Product Height 0.92 kg Plastic Packaging (Recycling Symbol "4") 0.0164 kg Total Tare Weight 0.0164 kg Gross Weight 0.04 kg Cubic metre 0.004699 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature (120 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020700750	Product Length/Depth	890 mm
Net Weight 0.92 kg Plastic Packaging (Recycling Symbol "4") 0.0164 kg Total Tare Weight 0.0164 kg Gross Weight 0.94 kg Cubic metre 0.004699 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020700750	Product Width	160 mm
Plastic Packaging (Recycling Symbol "4") Total Tare Weight Gross Weight Cubic metre 0.004699 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020700750	Product Height	33 mm
Total Tare Weight 0.0164 kg Gross Weight 0.94 kg Cubic metre 0.0004699 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020700750	Net Weight	0.92 kg
Gross Weight 0.94 kg Cubic metre 0.004699 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020700750	Plastic Packaging (Recycling Symbol "4")	0.0164 kg
Cubic metre 0.004699 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020700750	Total Tare Weight	0.0164 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020700750	Gross Weight	0.94 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020700750	Cubic metre	0.004699 M3
Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020700750	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020700750	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020700750	Max usage temperature (food contact)	175 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-13 Number5705020700750	Max usage temperature (non food contact)	175 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020700750	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration 10.5 pH GTIN-13 Number 5705020700750	Max. drying temperature	120 °C
GTIN-13 Number 5705020700750	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH
Customs Tariff Number 39241000	GTIN-13 Number	5705020700750
	Customs Tariff Number	39241000

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.