Pastry Brush, 70 mm, Soft, White







The very thin and soft bristles facilitate ease of applying marinade, egg, icing, etc. Alternatively the brush can be used for detail cleaning.

To minimise the risk of bristle loss regularly inspect the brush for loose bristles and replace the brush if any are found.

Technical Data

Bristle stiffness Soft Visible bristle length 45 mm Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 4320 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Length 240 mm Box Width 150 mm Box Width 150 mm Box Height 75 mm Length 195 mm Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.025 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Gross Weight 0.0015 kg Gross Weight 0.0015 kg Gubic metre	Item Number	5552705
Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Yes Manufacturing Practice Yes Complies with DA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 4320 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Length 240 mm Box Width 150 mm Box Height 75 mm Length 195 mm Width 70 mm Height 14.5 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0025 kg Weight toardboard (Recycling symbol "20" PAP) 0.008 kg Tare total 0.0105 kg Crobic metre 0.000198 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max. drying temperature (mon food contact) 100 °C Min. pH-value in usage concentration 2 pH Cubic metre 100 °C Min. pH-value in usage concentration 2 pH Cubic metre 100 °C Min. pH-value in usage concentration 2 pH	Bristle stiffness	Soft
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with FDA Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) 4320 Pcs Quantity Per Layer (Pallet) Box Length 240 mm Box Width 150 mm Box Width 75 mm Length Width 70 mm Net Weight 0.058 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% Weight cardboard (Recycling symbol "20" PAP) Tare total Cubic metre 0.000198 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (Ino food contact) Min. usage temperature Max. drying temperature Min. pH-value in usage concentration 2 pH	Visible bristle length	45 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 4320 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Length 240 mm Box Width 150 mm Box Height 75 mm Length 195 mm Width 70 mm Height 14.5 mm Net Weight 0.058 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0025 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Tare total 0.0105 kg Gross Weight 0.07 kg Cubic metre 0.00198 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C <	Material	(PBT) Stainless Steel
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 4320 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Length 240 mm Box Width 150 mm Box Height 75 mm Length 195 mm Width 70 mm Height 14.5 mm Net Weight 0.058 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0025 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Tare total 0.0105 kg Gross Weight 0.07 kg Cubic metre 0.000198 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non foo	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 4320 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Length 240 mm Box Width 150 mm Box Height 75 mm Length 195 mm Width 70 mm Height 14.5 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.025 kg Weight cardboard (Recycling symbol "4") LDPE ≥ PCR 30% 0.0025 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Tare total 0.0105 kg Gross Weight 0.07 kg Cubic metre 0.000198 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 20 °C <th></th> <th>Yes</th>		Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 4320 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Length 240 mm Box Width 150 mm Box Height 75 mm Length 195 mm Width 70 mm Height 14.5 mm Net Weight 0.058 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0025 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Tare total 0.0105 kg Gross Weight 0.07 kg Cubic metre 0.000198 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage con	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 4320 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Length 240 mm Box Width 150 mm Box Height 75 mm Length 195 mm Width 70 mm Height 14.5 mm Net Weight 0.058 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0025 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Tare total 0.0105 kg Gross Weight 0.07 kg Cubic metre 0.00198 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 20 °C Min. pH-value in usage concentration 2 pH<	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 4320 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Length 240 mm Box Width 150 mm Box Height 75 mm Length 195 mm Width 70 mm Height 14.5 mm Net Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.025 kg Weight cardboard (Recycling symbol "20" PAP) 0.08 kg Tare total 0.0105 kg Gross Weight 0.07 kg Cubic metre 0.000198 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature* -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)4320 PcsQuantity Per Layer (Pallet)180 Pcs.Box Length240 mmBox Width150 mmBox Height75 mmLength195 mmWidth70 mmHeight14.5 mmNet Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0025 kgWeight cardboard (Recycling symbol "20" PAP)0.008 kgTare total0.0105 kgGross Weight0.07 kgCubic metre0.000198 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMin. usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pH	Complies with California Proposition 65	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 4320 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Length 240 mm Box Width 150 mm Box Height 75 mm Length 195 mm Width 70 mm Height 14.5 mm Net Weight 0.058 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0025 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Tare total 0.0105 kg Gross Weight 0.07 kg Cubic metre 0.000198 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with Halal and Kosher	Yes
Quantity Per Layer (Pallet) 180 Pcs. Box Length 240 mm Box Width 150 mm Box Height 75 mm Length 195 mm Width 70 mm Height 14.5 mm Net Weight 0.058 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0025 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Tare total 0.0105 kg Gross Weight 0.07 kg Cubic metre 0.000198 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet) 180 Pcs. Box Length 240 mm Box Width 150 mm Box Height 75 mm Length 195 mm Width 70 mm Height 14.5 mm Net Weight 0.058 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0025 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Tare total 0.0105 kg Gross Weight 0.07 kg Cubic metre 0.000198 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Box Quantity	10 Pcs.
Box Length 240 mm Box Width 150 mm Box Height 75 mm Length 195 mm Width 70 mm Height 14.5 mm Net Weight 0.058 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0025 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Tare total 0.0105 kg Gross Weight 0.07 kg Cubic metre 0.000198 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Quantity per Pallet (80 x 120 x 180-200 cm)	4320 Pcs
Box Width 150 mm Box Height 75 mm Length 195 mm Width 70 mm Height 14.5 mm Net Weight 0.058 kg Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30% 0.0025 kg Weight cardboard (Recycling symbol "20" PAP) 0.008 kg Tare total 0.0105 kg Gross Weight 0.07 kg Cubic metre 0.000198 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Quantity Per Layer (Pallet)	180 Pcs.
Box Height75 mmLength195 mmWidth70 mmHeight14.5 mmNet Weight0.058 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0025 kgWeight cardboard (Recycling symbol "20" PAP)0.008 kgTare total0.0105 kgGross Weight0.07 kgCubic metre0.000198 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Length	240 mm
Length195 mmWidth70 mmHeight14.5 mmNet Weight0.058 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0025 kgWeight cardboard (Recycling symbol "20" PAP)0.008 kgTare total0.0105 kgGross Weight0.07 kgCubic metre0.000198 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Width	150 mm
Width70 mmHeight14.5 mmNet Weight0.058 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0025 kgWeight cardboard (Recycling symbol "20" PAP)0.008 kgTare total0.0105 kgGross Weight0.07 kgCubic metre0.000198 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Height	75 mm
Height14.5 mmNet Weight0.058 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0025 kgWeight cardboard (Recycling symbol "20" PAP)0.008 kgTare total0.0105 kgGross Weight0.07 kgCubic metre0.000198 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Length	195 mm
Net Weight0.058 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0025 kgWeight cardboard (Recycling symbol "20" PAP)0.008 kgTare total0.0105 kgGross Weight0.07 kgCubic metre0.000198 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Width	70 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.0025 kgWeight cardboard (Recycling symbol "20" PAP)0.008 kgTare total0.0105 kgGross Weight0.07 kgCubic metre0.000198 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Height	14.5 mm
Weight cardboard (Recycling symbol "20" PAP)0.008 kgTare total0.0105 kgGross Weight0.07 kgCubic metre0.000198 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Net Weight	0.058 kg
Tare total0.0105 kgGross Weight0.07 kgCubic metre0.000198 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.0025 kg
Gross Weight 0.07 kg Cubic metre 0.000198 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 2 pH Min. pH-value in usage concentration 2 pH	Weight cardboard (Recycling symbol "20" PAP)	0.008 kg
Cubic metre0.000198 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Tare total	0.0105 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Gross Weight	0.07 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Cubic metre	0.000198 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Max usage temperature (food contact)	80 °C
Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH	Min. usage temperature³	-20 °C
	Max. drying temperature	100 °C
Max. pH-value in Usage Concentration 10.5 pH	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH

Country of origin	Denmark
Customs Tariff No.	96039099
GTIN-14 Number (Box quantity)	15705028016065
GTIN-13 Number	5705022016057

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.