Mixer w/Holes, Ø31 mm, 1200 mm, White







This fully-moulded Mixer features a long handle and a small blade with holes. Suitable for stirring food ingredients in large pots and vats, the holes ease stirring by allowing ingredients to pass through the stirrer blade.

Technical Data

Recycling Symbol "5", Polypropylene (PP) Yes Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with FDA Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Galifornia Proposition 65 Yes Complies with Halal and Kosher PFAS intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Box Length/Depth Box Width Box Height 77 mm Product Diameter Product Length/Depth 1200 mm Product Length/Depth 1200 mm Product Height 37 mm Net Weight 0.89 kg Plastic Packaging (Recycling Symbol "4") 0.0220 kg Cardboard Packaging (Recycling symbol "20" PAP) Total Tare Weight Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (food contact) Max usage temperature (food contact) Min. usage temperature (food contact) Min. usage temperature (food contact) Min. usage temperature Min. pH-value in usage concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH	Item Number	70125
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Complies with FDA Regulation CFR 21¹ Complies with FDA Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS intentionally added No Box Quantity 1 Pcs. Quantity Per Pallet (80 x 120 x approx.180 cm) Cuantity Per Layer (Pallet) Box Length/Depth 1200 mm Box Width 163 mm Product Diameter 31 mm Product Length/Depth 1200 mm Product Length/Depth 1200 mm Product Height 37 mm Net Weight Net Weight Cardboard Packaging (Recycling Symbol "4") Coardboard Packaging (Recycling symbol "20" PAP) Total Tare Weight Gross Weight Cubic metre 0.007237 M3 Recommended sterillisation temperature (Autoclave) Max. cleaning temperature (food contact) Max usage temperature (food contact) Min. usage temperature (food contact) Min. usage temperature (non food contact) Min. usage temperature Min. pH-value in usage concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH	Material	Polypropylene
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 120 Pcs Quantity Per Layer (Pallet) 1200 mm Box Height 37 mm Product Diameter 31 mm Product Diameter 31 mm Product Length/Depth 1200 mm Product Width 163 mm Product Height 37 mm Net Weight 0.89 kg Plastic Packaging (Recycling Symbol "4") 0.0209 kg Cardboard Packaging (Recycling symbol "20" PAP) 0.042 kg Gross Weight 0.0629 kg Gross Weight 0.0629 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 "C Max. cleaning temperature (Dishwasher) 93 "C Max usage temperature (food contact) 100 "C Max. usage temperature (non food contact) 100 "C Max. drying temperature 100 "C Min. usage temperature 100 "C Min. usage temperature 100 "C Min. pH-value in usage concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH	Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing Practice Complies with FDA Regulation CFR 21¹ Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 120 Pcs. Box Length/Depth 1200 mm Box Height 37 mm Product Diameter 31 mm Product Length/Depth 1200 mm Product Width 163 mm Product Length/Depth 1200 mm Product Width 163 mm Product Height 37 mm Net Weight 0.89 kg Plastic Packaging (Recycling Symbol "4") 0.0209 kg Cardboard Packaging (Recycling symbol "20" PAP) 0.042 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS intentionally added No Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Box Length/Depth 1200 mm Box Width 163 mm Box Helght Product Diameter Product Length/Depth 1200 mm Product Width 163 mm Product Width No Recycling Symbol "4") Cardboard Packaging (Recycling Symbol "20" PAP) Total Tare Weight Cubic metre Quantity en parature (Dishwasher) Max usage temperature (food contact) Min. usage temperature Min. pH-value in usage Concentration Max. pH-value in usage Concentration 10.5 pH Max. pH-value in Usage Concentration	Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS intentionally added Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) 1 200 mm Box Width 1 63 mm Box Width 1 63 mm Product Diameter Product Length/Depth 1 200 mm Product Length/Depth 1 200 mm Product Width 1 63 mm Product Height 37 mm Product Height 0.89 kg Plastic Packaging (Recycling Symbol "4") Cardboard Packaging (Recycling symbol "20" PAP) Total Tare Weight 0.0629 kg Gross Weight 0.07237 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Min. pH-value in usage Concentration 1 0.5 pH Max. pH-value in Usage Concentration 1 0.5 pH Max. pH-value in Usage Concentration 1 0.5 pH Max. pH-value in Usage Concentration	Complies with FDA Regulation CFR 21 ¹	Yes
Complies with California Proposition 65 Complies with Halal and Kosher PFAS intentionally added Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) 1 Pcs. Box Length/Depth 1 200 mm Box Width 1 63 mm Box Height 1 7 roduct Diameter Product Diameter Product Length/Depth 1 200 mm Product Height 1 200 mm Product Height 37 mm Product Height 38 mm Product Height 10 .89 kg Cardboard Packaging (Recycling Symbol "4") 1 0 .0209 kg Cardboard Packaging (Recycling symbol "20" PAP) 1 0 .042 kg Gross Weight 1 0 .0629 kg Gross Weight 1 0 .0529 kg Cubic metre 1 0 .007237 M3 Recommended sterilisation temperature (Autoclave) 1 21 °C Max. cleaning temperature (Dishwasher) 1 20 °C Max usage temperature (Tool contact) 1 00 °C Max usage temperature (non food contact) 1 00 °C Min. usage temperature 1 20 °C Min. usage temperature 1 20 °C Min. pH-value in Usage Concentration 1 0.5 pH Max. pH-value in Usage Concentration 1 0.5 pH Max. pH-value in Usage Concentration 1 0.5 pH	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher PFAS intentionally added Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) 1 Pcs. Box Length/Depth 1 200 mm Box Width 1 63 mm Box Height 7 roduct Diameter Product Length/Depth 1 200 mm Product Length/Depth 1 200 mm Product Width 1 63 mm Product Height 37 mm Product Height 38 kg Plastic Packaging (Recycling Symbol "4") Cardboard Packaging (Recycling symbol "20" PAP) Total Tare Weight 0 .0629 kg Gross Weight 0 .0629 kg Cubic metre 0 .007237 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature Max. drying temperature 1 20 ° C Max. pH-value in usage Concentration 1 0.5 pH Max. pH-value in usage Concentration 1 0.5 pH Max. pH-value in Usage Concentration 1 0.5 pH	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS intentionally added Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x approx.180 cm) 120 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length/Depth 1200 mm Box Width 163 mm Box Height 37 mm Product Diameter 31 mm Product Length/Depth 1200 mm Product Length/Depth 1200 mm Product Width 163 mm Product Height 37 mm Product Height 37 mm Product Height 37 mm Product Height 0.89 kg Plastic Packaging (Recycling Symbol "4") 0.0209 kg Cardboard Packaging (Recycling symbol "20" PAP) 0.042 kg Gross Weight 0.0629 kg Gross Weight 0.0629 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Max. usage temperature 120 °C Max. drying temperature 120 °C Max. pH-value in usage Concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH	Complies with California Proposition 65	Yes
Box Quantity Quantity per Pallet (80 x 120 x approx.180 cm) 120 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length/Depth 1200 mm Box Width 163 mm Box Height 37 mm Product Diameter 31 mm Product Length/Depth 1200 mm Product Width 163 mm Product Height 37 mm Product Width 163 mm Product Width 163 mm Product Height 37 mm Net Weight 0.89 kg Cardboard Packaging (Recycling Symbol "4") 0.0209 kg Cardboard Packaging (Recycling symbol "20" PAP) 0.042 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature 100 °C Min. usage temperature 110 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH	Complies with Halal and Kosher	Yes
Quantity Per Pallet (80 x 120 x approx.180 cm) Quantity Per Layer (Pallet) Box Length/Depth 1200 mm Box Width 163 mm Box Height 7 roduct Diameter 1200 mm Product Length/Depth 1200 mm Product Length/Depth 1200 mm Product Width 163 mm Product Width 163 mm Product Weight 37 mm Net Weight 38 kg Plastic Packaging (Recycling Symbol "4") Cardboard Packaging (Recycling symbol "20" PAP) 10.042 kg Gross Weight 0.0629 kg Gross Weight 0.052 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature (non food contact) Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH	PFAS intentionally added	No
Quantity Per Layer (Pallet) Box Length/Depth 1200 mm Box Width 163 mm Box Height Product Diameter 31 mm Product Length/Depth 1200 mm Product Width 163 mm Product Height 37 mm Product Height 37 mm Net Weight 0.89 kg Plastic Packaging (Recycling Symbol "4") Cardboard Packaging (Recycling symbol "20" PAP) Total Tare Weight 0.0629 kg Gross Weight 0.0629 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 10.5 pH Max. pH-value in Usage Concentration	Box Quantity	1 Pcs.
Box Length/Depth Box Width Box Width Box Height Box Hei	Quantity per Pallet (80 x 120 x approx.180 cm)	120 Pcs
Box Width Box Height 37 mm Product Diameter 31 mm Product Length/Depth 1200 mm Product Width 163 mm Product Height 37 mm Product Height 37 mm Net Weight 0.89 kg Plastic Packaging (Recycling Symbol "4") 0.0209 kg Cardboard Packaging (Recycling symbol "20" PAP) 0.042 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH	Quantity Per Layer (Pallet)	1 Pcs.
Box Height 37 mm Product Diameter 31 mm Product Length/Depth 1200 mm Product Width 163 mm Product Height 37 mm Net Weight 0.89 kg Plastic Packaging (Recycling Symbol "4") 0.0209 kg Cardboard Packaging (Recycling symbol "20" PAP) 0.042 kg Total Tare Weight 0.95 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Box Length/Depth	1200 mm
Product Diameter 31 mm Product Length/Depth 1200 mm Product Width 163 mm Product Height 37 mm Net Weight 0.89 kg Plastic Packaging (Recycling Symbol "4") 0.0209 kg Cardboard Packaging (Recycling symbol "20" PAP) 0.042 kg Total Tare Weight 0.0629 kg Gross Weight 0.0529 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Box Width	163 mm
Product Length/Depth 1200 mm Product Width 163 mm Product Height 37 mm Net Weight 0.89 kg Plastic Packaging (Recycling Symbol "4") 0.0209 kg Cardboard Packaging (Recycling symbol "20" PAP) 0.042 kg Total Tare Weight 0.0629 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Box Height	37 mm
Product Width 163 mm Product Height 37 mm Net Weight 0.89 kg Plastic Packaging (Recycling Symbol "4") 0.0209 kg Cardboard Packaging (Recycling symbol "20" PAP) 0.042 kg Total Tare Weight 0.0629 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Max. drying temperature (120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Product Diameter	31 mm
Product Height 0.89 kg Plastic Packaging (Recycling Symbol "4") 0.0209 kg Cardboard Packaging (Recycling symbol "20" PAP) 0.042 kg Total Tare Weight 0.0629 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (300 °C Min. usage temperature (300 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Product Length/Depth	1200 mm
Net Weight 0.89 kg Plastic Packaging (Recycling Symbol "4") 0.0209 kg Cardboard Packaging (Recycling symbol "20" PAP) 0.042 kg Total Tare Weight 0.0629 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (autoclave) 120 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Product Width	163 mm
Plastic Packaging (Recycling Symbol "4") Cardboard Packaging (Recycling symbol "20" PAP) O.042 kg Total Tare Weight O.0629 kg Gross Weight Cubic metre O.007237 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 °C Min. pH-value in usage Concentration O.0209 kg O.007237 M3	Product Height	37 mm
Cardboard Packaging (Recycling symbol "20" PAP) Total Tare Weight 0.0629 kg Gross Weight 0.007237 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 °C Min. pH-value in usage concentration 10.5 pH Max. pH-value in Usage Concentration	Net Weight	0.89 kg
Total Tare Weight 0.0629 kg Gross Weight 0.95 kg Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Plastic Packaging (Recycling Symbol "4")	0.0209 kg
Gross Weight Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Cardboard Packaging (Recycling symbol "20" PAP)	0.042 kg
Cubic metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Total Tare Weight	0.0629 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration	Gross Weight	0.95 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pH	Cubic metre	0.007237 M3
Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ Max. drying temperature Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Max usage temperature (food contact)	100 °C
Max. drying temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration 120 °C 2 pH 120 °C 10 °C	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration 10.5 pH	Max. drying temperature	120 °C
	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH
	GTIN-13 Number	5705020701252

Customs Tariff Number	39241000
Country of Origin ISO Code	DK
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.