## 40604 Hand Scraper, 75 mm, Red







Designed for cleaning small spaces and rounded equipment such as large bowls, this narrow hand scraper is ideal for loosening stubborn dirt, including pastry, chocolate and burnt food. The polypropylene material reduces the risk of scratching sensitive surfaces.

## **Technical Data**

Blade Thickness     3.3 mm       Material     Polypropylene       Recycling Symbol "5", Polypropylene (PP)     Yes       Complies with (EC) 1935/2004 on food contact materials'     Yes       Complies with ED Regulation 2023/2006/EC of Good     Yes       Manufacturing Practice     Yes       Complies with FDA Regulation CFR 21'     Yes       Complies with REACH Regulation (EC) No. 1907/2006     Yes       Complies with All California Proposition 65     Yes       Complies with Hala and Kosher     Yes       PFAS, Phthalates and BPA intentionally added     No       Box Quantity     10 Pcs.       Quantity Per Layer (Pallet)     4000 Pcs.       Box Length     250 mm       Box Width     220 mm       Box Width     220 mm       Box Width     220 mm       Box Width     210 mm       Product Length/Depth     18 mm       Product Length/Depth     18 mm       Product Height     0.05 kg       Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%     0.004 kg       Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%     0.004 kg       Gross Weight     0.06 kg       Cubic metre     <	Item Number	40604
Recycling Symbol "5", Polypropylene (PP)     Yes       Complies with (EC) 1935/2004 on food contact materials¹     Yes       Complies with EU Regulation 2023/2006/EC of Good     Yes       Complies with EU Regulation 2023/2006/EC of Good     Yes       Complies with UX 2019 No. 704 on food contact materials     Yes       Complies with UK 2019 No. 704 on food contact materials     Yes       Complies with REACH Regulation (EC) No. 1907/2006     Yes       Complies with Halal and Kosher     Yes       Complies with Halal and Kosher     Yes       PFAS, Phthalates and BPA intentionally added     No       Box Quantity     10 Pcs.       Quantity per Pallet (80 x 120 x 180-200 cm)     4000 Pcs       Box Length     250 mm       Box Width     220 mm       Box Width     220 mm       Box Kleight     0.05 kg       Weight     0.05 kg       Weight     0.05 kg       Weight acrobard (Recycling Symbol "4") LDPE ≥ PCR 30%     0.004 kg       Gross Weight     0.06 kg       Guis metre     0.000283 M3       Recommended sterilisation temperature (Autoclave)     121 °C       Max usage temperature (Dishwasher)     93 °C       Max	Blade Thickness	3.3 mm
Complies with (EC) 1935/2004 on food contact materials¹     Yes       Complies with EU Regulation 2023/2006/EC of Good     Yes       Complies with FDA Regulation CFR 21¹     Yes       Complies with VX 2019 No. 704 on food contact materials     Yes       Complies with REACH Regulation (EC) No. 1907/2006     Yes       Complies with California Proposition 65     Yes       Complies with Halal and Kosher     Yes       PFAS, Phthalates and BPA intentionally added     No       Box Quantity     10 Pcs.       Quantity per Pallet (80 x 120 x 180-200 cm)     4000 Pcs.       Quantity Per Layer (Pallet)     400 Pcs.       Box Length     250 mm       Box Width     220 mm       Box Height     80 mm       Product Length/Depth     18 mm       Product Width     75 mm       Product Height     0.05 kg       Weight cardboard (Recycling symbol "20" PAP)     0.004 kg       Gross Weight     0.06 kg       Cubic metre     0.000283 M3       Recommended sterilisation temperature (Autoclave)     121° C       Max usage temperature (food contact)     100 °C       Max usage temperature (non food contact)     100 °C	Material	Polypropylene
Complies with EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesComplies with FDA Regulation CFR 211YesComplies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)4000 Pcs.Quantity Per Layer (Pallet)400 Pcs.Box Length250 mmBox Width220 mmBox Height80 mmProduct Length/Depth18 mmProduct Width75 mmProduct Width0.05 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.004 kgGross Weight0.06 kgCubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature <sup>8</sup> -20 °C	Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing Practice       Complies with FDA Regulationl CFR 21¹     Yes       Complies with UK 2019 No. 704 on food contact materials     Yes       Complies with REACH Regulation (EC) No. 1907/2006     Yes       Complies with California Proposition 65     Yes       Complies with California Proposition 65     Yes       Complies with Halal and Kosher     Yes       PFAS, Phthalates and BPA intentionally added     No       Box Quantity     10 Pcs.       Quantity per Pallet (80 × 120 × 180-200 cm)     4000 Pcs.       Quantity Per Layer (Pallet)     4000 Pcs.       Box Length     250 mm       Box Klidth     220 mm       Box Klidth     220 mm       Box Klidth     220 mm       Product Length/Depth     18 mm       Product Length/Depth     18 mm       Product Width     75 mm       Product Height     210 mm       Net Weight     0.05 kg       Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%     0.004 kg       Gross Weight     0.06 kg       Cubic metre     0.000283 M3       Recommended sterillsation temperature (Autoclave)     121 ° C       Max. cleaning temperature (Dishwasher) <td>Complies with (EC) 1935/2004 on food contact materials<sup>1</sup></td> <td>Yes</td>	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)4000 Pcs.Quantity Per Layer (Pallet)400 Pcs.Box Length250 mmBox Width220 mmBox Height80 mmProduct Length/Depth18 mmProduct Height0.05 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.004 kgGross Weight0.008 kgGross Weight0.008 kgGubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature <sup>8</sup> -20 °C		Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)4000 PcsQuantity Per Layer (Pallet)400 Pcs.Box Length250 mmBox Kleight80 mmProduct Length/Depth18 mmProduct Length/Depth18 mmProduct Height0.05 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.004 kgGross Weight0.06 kgCubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMin. usage temperature³-20 °C	Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)4000 PcsQuantity Per Layer (Pallet)400 Pcs.Box Length250 mmBox Width220 mmBox Height80 mmProduct Length/Depth18 mmProduct Length/Depth18 mmProduct Width75 mmProduct Height0.05 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.004 kgGross Weight0.06 kgCubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMin. usage temperatures-20 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)4000 PcsQuantity Per Layer (Pallet)400 Pcs.Box Length250 mmBox Width220 mmBox Height80 mmProduct Length/Depth18 mmProduct Width75 mmProduct Width0.05 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.004 kgGross Weight0.06 kgCubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMin. usage temperatures-20 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally addedNoBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)4000 PcsQuantity Per Layer (Pallet)400 Pcs.Box Length250 mmBox Width220 mmBox Width80 mmProduct Length/Depth18 mmProduct Length/Depth18 mmProduct Height210 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.004 kgGross Weight0.008 kgGross Weight0.008 kgCubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMin. usage temperatures-20 °C	Complies with California Proposition 65	Yes
Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)4000 PcsQuantity Per Layer (Pallet)400 Pcs.Box Length250 mmBox Width220 mmBox Width220 mmBox Height80 mmProduct Length/Depth18 mmProduct Length/Depth18 mmProduct Height210 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.004 kgGross Weight0.008 kgGross Weight0.008 kgCubic metre0.00283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature (and contact)100 °CMin. usage temperature and contact-20 °C	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)4000 PcsQuantity Per Layer (Pallet)400 Pcs.Box Length250 mmBox Width220 mmBox Width220 mmBox Height80 mmProduct Length/Depth18 mmProduct Width75 mmProduct Height210 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.004 kgGross Weight0.06 kgGross Weight0.06 kgCubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet)     400 Pcs.       Box Length     250 mm       Box Width     220 mm       Box Height     80 mm       Product Length/Depth     18 mm       Product Width     75 mm       Product Height     210 mm       Net Weight     0.05 kg       Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%     0.004 kg       Weight cardboard (Recycling symbol "20" PAP)     0.004 kg       Gross Weight     0.06 kg       Cubic metre     0.000283 M3       Recommended sterilisation temperature (Autoclave)     121 °C       Max. cleaning temperature (Dishwasher)     93 °C       Max usage temperature (non food contact)     100 °C       Min. usage temperature <sup>3</sup> -20 °C	Box Quantity	10 Pcs.
Box Length     250 mm       Box Width     220 mm       Box Height     80 mm       Product Length/Depth     18 mm       Product Width     75 mm       Product Height     210 mm       Net Weight     0.05 kg       Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%     0.004 kg       Weight cardboard (Recycling symbol "20" PAP)     0.004 kg       Gross Weight     0.008 kg       Gross Weight     0.008 kg       Cubic metre     0.000283 M3       Recommended sterilisation temperature (Autoclave)     121 °C       Max. cleaning temperature (Dishwasher)     93 °C       Max usage temperature (non food contact)     100 °C       Min. usage temperature <sup>3</sup> -20 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	4000 Pcs
Box Width220 mmBox Height80 mmProduct Length/Depth18 mmProduct Width75 mmProduct Height210 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.004 kgWeight cardboard (Recycling symbol "20" PAP)0.004 kgTare total0.008 kgGross Weight0.008 kgCubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Quantity Per Layer (Pallet)	400 Pcs.
Box Height80 mmProduct Length/Depth18 mmProduct Width75 mmProduct Height210 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.004 kgWeight cardboard (Recycling symbol "20" PAP)0.004 kgTare total0.008 kgGross Weight0.06 kgCubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Box Length	250 mm
Product Length/Depth     18 mm       Product Width     75 mm       Product Height     210 mm       Net Weight     0.05 kg       Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%     0.004 kg       Weight cardboard (Recycling symbol "20" PAP)     0.004 kg       Tare total     0.008 kg       Gross Weight     0.008 kg       Cubic metre     0.000283 M3       Recommended sterilisation temperature (Autoclave)     121 °C       Max. cleaning temperature (Dishwasher)     93 °C       Max usage temperature (food contact)     100 °C       Max usage temperature a     -20 °C	Box Width	220 mm
Product Width     75 mm       Product Height     210 mm       Net Weight     0.05 kg       Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%     0.004 kg       Weight cardboard (Recycling symbol "20" PAP)     0.004 kg       Tare total     0.008 kg       Gross Weight     0.06 kg       Cubic metre     0.000283 M3       Recommended sterilisation temperature (Autoclave)     121 °C       Max. cleaning temperature (Dishwasher)     93 °C       Max usage temperature (non food contact)     100 °C       Min. usage temperature <sup>3</sup> -20 °C	Box Height	80 mm
Product Height210 mmNet Weight0.05 kgWeight bag (Recycling Symbol "4") LDPE ≥ PCR 30%0.004 kgWeight cardboard (Recycling symbol "20" PAP)0.004 kgTare total0.008 kgGross Weight0.06 kgCubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Product Length/Depth	18 mm
Net Weight     0.05 kg       Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%     0.004 kg       Weight cardboard (Recycling symbol "20" PAP)     0.004 kg       Tare total     0.008 kg       Gross Weight     0.06 kg       Cubic metre     0.000283 M3       Recommended sterilisation temperature (Autoclave)     121 °C       Max. cleaning temperature (Dishwasher)     93 °C       Max usage temperature (non food contact)     100 °C       Min. usage temperature3     -20 °C	Product Width	75 mm
Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%     0.004 kg       Weight cardboard (Recycling symbol "20" PAP)     0.004 kg       Tare total     0.008 kg       Gross Weight     0.06 kg       Cubic metre     0.000283 M3       Recommended sterilisation temperature (Autoclave)     121 °C       Max. cleaning temperature (Dishwasher)     93 °C       Max usage temperature (food contact)     100 °C       Max usage temperature (non food contact)     100 °C       Min. usage temperature3     -20 °C	Product Height	210 mm
Weight cardboard (Recycling symbol "20" PAP)0.004 kgTare total0.008 kgGross Weight0.06 kgCubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Net Weight	0.05 kg
Tare total0.008 kgGross Weight0.06 kgCubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Weight bag (Recycling Symbol "4") LDPE ≥ PCR 30%	0.004 kg
Gross Weight0.06 kgCubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °C	Weight cardboard (Recycling symbol "20" PAP)	0.004 kg
Cubic metre0.000283 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Tare total	0.008 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Gross Weight	0.06 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Cubic metre	0.000283 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °C	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature <sup>3</sup> -20 °C	Max usage temperature (food contact)	100 °C
	Max usage temperature (non food contact)	100 °C
	Min. usage temperature <sup>3</sup>	-20 °C
Max. drying temperature 120 °C	Max. drying temperature	120 °C
Min. pH-value in usage concentration2 pH	Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration10.5 pH	Max. pH-value in Usage Concentration	10.5 pH
<b>GTIN-13 Number</b> 5705020406041	GTIN-13 Number	5705020406041

GTIN-14 Number (Box quantity)	15705020406048
Customs Tariff No.	39241000
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.