

## GREASE QUICKKLIKS 2X2L

WM 0714728

Order number: 0714728

Version 5.2

Revision Date 05.02.2021

Print Date 14.09.2021

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : GREASE QUICKKLIKS 2X2L  
Identification number : 64361

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent  
Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH  
Rheinallee 96  
55120 Mainz  
Telephone : +49613196403  
Telefax : +4961319642414  
E-mail address : Produktsicherheit@werner-mertz.com  
Responsible/issuing person  
Contact person : Product development / product safety

#### 1.4 Emergency telephone number

112  
Centru za kontrolu otrovanja u Zagrebu na tel. (01) 2348 342  
+49(0)6131-19240

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008)**  
Eye irritation, Category 2 H319: Causes serious eye irritation.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning  
Hazard statements : H319 Causes serious eye irritation.  
Precautionary statements : P102 Keep out of reach of children.  
**Prevention:**  
P260 Do not breathe spray.  
P264 Wash hands thoroughly after handling.

## GREASE QUICKKLIKS 2X2L

WM 0714728

Order number: 0714728

Version 5.2

Revision Date 05.02.2021

Print Date 14.09.2021

P280 Wear eye protection.  
**Response:**  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

Safety data sheet available on request.

### Classification in use concentration

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

### 2.3 Other hazards

No information available.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Alcohols, C12-14, ethoxylated (7 EO)	68439-50-9 932-106-6	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Chronic 3; H412  SCL > 10 % 1; H318 > 1 - 10 % 2; H319	>= 5 - < 10
2,2'-methyliminodiethanol	105-59-9 203-312-7 01-2119488970-24	Eye Irrit. 2; H319	>= 5 - < 10
DECETH-6 (INCI)	26183-52-8 500-046-6	Eye Irrit. 2; H319 Acute Tox. 4; H302	>= 2 - < 5
ethanol	64-17-5 200-578-6 01-2119457610-43	Flam. Liq. 2; H225 Eye Irrit. 2; H319  SCL >= 50 % 2; H319	>= 2 - < 5

## GREASE QUICKKLIKS 2X2L

WM 0714728

Order number: 0714728

Version 5.2

Revision Date 05.02.2021

Print Date 14.09.2021

D-Glucopyranose, oligomers, decyl octyl glycosides	68515-73-1 01-2119488530-36	Eye Dam. 1; H318 SCL > 10 % 1; H318 10 % 2; H319	>= 2 - < 3
--	--------------------------------	---	------------

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.  
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
If symptoms persist, call a physician.
- In case of eye contact : Protect unharmed eye.  
If easy to do, remove contact lens, if worn.  
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
Obtain medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Irritation
- Risks : No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : For specialist advice physicians should contact the Poisons Information Service.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## GREASE QUICKKLIKS 2X2L

WM 0714728

Order number: 0714728

Version 5.2

Revision Date 05.02.2021

Print Date 14.09.2021

### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.  
Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No hazardous combustion products are known

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment.  
Ensure adequate ventilation.

### 6.2 Environmental precautions

- Environmental precautions : Do not flush into surface water or sanitary sewer system.

### 6.3 Methods and materials for containment and cleaning up

- Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Advice on safe handling : Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety

## GREASE QUICKKLIKS 2X2L

WM 0714728

Order number: 0714728

Version 5.2

Revision Date 05.02.2021

Print Date 14.09.2021

practice. When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container.

Other data : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Cleaning agent

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### DNEL

**2,2'-methyliminodiethanol**  
**105-59-9:** : End Use: Workers  
Exposure routes: Inhalation  
Potential health effects: Long-term systemic effects  
Value: 26 mg/m<sup>3</sup>

End Use: Workers  
Exposure routes: Dermal  
Potential health effects: Long-term systemic effects  
Value: 19 mg/kg

End Use: Consumers  
Exposure routes: Dermal  
Potential health effects: Long-term systemic effects  
Value: 9,4 mg/kg

End Use: Consumers  
Exposure routes: Inhalation  
Potential health effects: Long-term systemic effects  
Value: 6,5 mg/m<sup>3</sup>

End Use: Consumers  
Exposure routes: Oral  
Potential health effects: Long-term systemic effects  
Value: 1,9 mg/kg

**ethanol**  
**64-17-5:** : End Use: Workers  
Exposure routes: Inhalation  
Potential health effects: Acute local effects  
Value: 1900 mg/m<sup>3</sup>

End Use: Workers

**GREASE QUICKKLIKS 2X2L**

**WM 0714728**

**Order number: 0714728**

Version 5.2

Revision Date 05.02.2021

Print Date 14.09.2021

Exposure routes: Inhalation  
Potential health effects: Long-term systemic effects  
Value: 950 mg/m3

End Use: Workers  
Exposure routes: Skin contact  
Potential health effects: Long-term systemic effects  
Value: 343 mg/kg

End Use: Consumers  
Exposure routes: Inhalation  
Potential health effects: Acute local effects  
Value: 950 mg/m3

End Use: Consumers  
Exposure routes: Skin contact  
Potential health effects: Long-term systemic effects  
Value: 206 mg/kg

End Use: Consumers  
Exposure routes: Inhalation  
Potential health effects: Long-term systemic effects  
Value: 114 mg/m3

End Use: Consumers  
Exposure routes: Ingestion  
Potential health effects: Long-term systemic effects  
Value: 87 mg/kg

End Use: Consumers  
Exposure routes: Skin contact  
Potential health effects: Acute local effects  
Value: 950 mg/m3

**D-Glucopyranose, oligomers,  
decyl octyl glycosides  
68515-73-1:**

: End Use: Workers  
Exposure routes: Skin contact  
Potential health effects: Long-term systemic effects  
Value: 595000 mg/kg

End Use: Workers  
Exposure routes: Inhalation  
Potential health effects: Long-term systemic effects  
Value: 420 mg/m3

End Use: Consumers  
Exposure routes: Skin contact  
Potential health effects: Long-term systemic effects  
Value: 357000 mg/kg

End Use: Consumers  
Exposure routes: Inhalation  
Potential health effects: Long-term systemic effects  
Value: 124 mg/m3

End Use: Consumers  
Exposure routes: Ingestion  
Potential health effects: Long-term systemic effects  
Value: 35,7 mg/kg

## GREASE QUICKKLIKS 2X2L

WM 0714728

Order number: 0714728

Version 5.2

Revision Date 05.02.2021

Print Date 14.09.2021

### PNEC

**2,2'-methyliminodiethanol**  
**105-59-9:**

: Fresh water  
Value: 1 mg/l  
  
Marine water  
Value: 0,0045 mg/l  
  
intermittent release  
Value: 1 mg/l  
  
Fresh water sediment  
Value: 0,78 mg/kg  
  
Marine sediment  
Value: 0,0351 mg/kg  
  
Soil  
Value: 0,097 mg/kg  
  
STP  
Value: 10 mg/l

**ethanol**  
**64-17-5:**

: Fresh water  
Value: 0,96 mg/l  
  
Marine water  
Value: 0,79 mg/l  
  
Fresh water sediment  
Value: 3,6 mg/kg  
  
Soil  
Value: 0,63 mg/kg  
  
STP  
Value: 580 mg/l  
  
intermittent release  
Value: 2,75 mg/l

**D-Glucopyranose, oligomers,**  
**decyl octyl glycosides**  
**68515-73-1:**

: Fresh water  
Value: 0,176 mg/l  
  
Marine water  
Value: 0,0176 mg/l  
  
intermittent release  
Value: 0,27 mg/l  
  
STP  
Value: 560 mg/l  
  
Fresh water sediment  
Value: 1,516 mg/kg

## GREASE QUICKKLIKS 2X2L

WM 0714728

Order number: 0714728

Version 5.2

Revision Date 05.02.2021

Print Date 14.09.2021

Marine sediment  
Value: 0,152 mg/kg

Soil  
Value: 0,654 mg/kg

### 8.2 Exposure controls

#### Personal protective equipment

Eye protection : If splashes are likely to occur, wear:  
Tightly fitting safety goggles

#### Hand protection

Material : For prolonged or repeated contact use protective gloves.  
It is suggested the usage of chemical resistant gloves made of butyl  
rubber or nitrile rubber category III according to EN 374-1: 2003 (0,4  
mm).  
As alternative, a different type of gloves might be used if, accordingly  
to the recommendations of the producer, guarantee the same level of  
protection.

Remarks : Take note of the information given by the producer concerning  
permeability and break through times, and of special workplace  
conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

Respiratory protection : Not required; except in case of aerosol formation.  
Recommended Filter type:  
ABEK-P3-filter

#### Environmental exposure controls

General advice : Do not flush into surface water or sanitary sewer system.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : orange

Odour : characteristic

Odour Threshold : No data available

pH : ca. 9,9, at20 °C

Melting point/range : No data available

Boiling point/boiling range : No data available



## GREASE QUICKKLIKS 2X2L

WM 0714728

Order number: 0714728

Version 5.2

Revision Date 05.02.2021

Print Date 14.09.2021

Flash point	: 83 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Flammability (liquids)	: Not classified as supporting combustion according to the transport regulations.
Burning rate	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: ca. 1,045 g/cm <sup>3</sup> at 20 °C
Water solubility	: completely miscible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

### 9.2 Other information

none

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions., No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions., No decomposition if used as directed.

### 10.4 Conditions to avoid

## GREASE QUICKKLIKS 2X2L

WM 0714728

Order number: 0714728

Version 5.2

Revision Date 05.02.2021

Print Date 14.09.2021

Conditions to avoid : No data available

### 10.5 Incompatible materials

Materials to avoid : No data available

### 10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.  
Other information : No hazardous decomposition products are known.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Our company is strongly against animal testing.  
Our company does not place any orders for animal testing for the finished product or the ingredients.  
However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

#### Product

Acute oral toxicity : Acute toxicity estimate : > 2.000 mg/kg  
Method: Calculation method

Skin corrosion/irritation : May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation : Causes serious eye irritation.  
May cause irreversible eye damage.  
Causes serious eye irritation.

Respiratory or skin sensitisation : No data available

Germ cell mutagenicity : Not Rated

Carcinogenicity : Not Rated

Reproductive toxicity : Not Rated

STOT - single exposure : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity : Not Rated

Further information : No data available

## GREASE QUICKKLIKS 2X2L

WM 0714728

Order number: 0714728

Version 5.2

Revision Date 05.02.2021

Print Date 14.09.2021

### Components:

#### **Alcohols, C12-14, ethoxylated (7 EO)**

##### **68439-50-9:**

- Acute oral toxicity : LD50 Oral Rat: 300 - 2.000 mg/kg
- Acute dermal toxicity : LD50 Dermal Rabbit: > 2.000 mg/kg
- Germ cell mutagenicity
- Genotoxicity in vitro : Type: Ames test  
Result: negative
- Reproductive toxicity : Species: Rat  
NOAEL: > 250 mg/kg,  
F1: > 250 mg/kg,  
F2: > 250 mg/kg
- Teratogenicity : Species: Rat  
Application Route: Oral  
>50 mg/kg  
> 50 mg/kg
- Species: Rat  
Application Route: Dermal  
>250 mg/kg  
> 250 mg/kg

#### **2,2'-methyliminodiethanol**

##### **105-59-9:**

- Acute oral toxicity : LD50 Rat: 4.680 mg/kg  
Method: OECD Test Guideline 401
- Acute dermal toxicity : LD50 Rabbit: > 2.000 mg/kg  
Method: OECD Test Guideline 402
- Skin corrosion/irritation : Species: Rabbit  
Result: No skin irritation  
Method: OECD Test Guideline 404
- Serious eye damage/eye irritation : Species: Rabbit  
Result: Irritating to eyes.  
Method: OECD Test Guideline 405
- Respiratory or skin sensitisation : Species: Guinea pig  
Result: Does not cause skin sensitisation.  
Method: OECD Test Guideline 406

#### **DECETH-6 (INCI)**

##### **26183-52-8:**

- Acute oral toxicity : LD50 Oral : > 2.000 mg/kg

## GREASE QUICKKLIKS 2X2L

WM 0714728

Order number: 0714728

Version 5.2

Revision Date 05.02.2021

Print Date 14.09.2021

### ethanol

#### 64-17-5:

- Acute oral toxicity : LD50 Oral Rat: 10.470 mg/kg  
Method: OECD Test Guideline 401
- LD50 Rat: 5.000 mg/kg  
Method: OECD Test Guideline 401
- Acute inhalation toxicity : LC50 Rat: 51 mg/l  
Exposure time: 4 h
- Acute dermal toxicity : LD50 Dermal Rabbit: > 2.000 mg/kg  
Method: OECD Test Guideline 402
- LD50 Dermal Rabbit: > 10.000 mg/kg  
Method: OECD Test Guideline 402
- Skin corrosion/irritation : Species: Rabbit  
Result: No skin irritation  
Method: OECD Test Guideline 404
- Serious eye damage/eye irritation : Species: Rabbit  
Result: Mild eye irritation  
Method: OECD Test Guideline 405
- Respiratory or skin sensitisation : Species: Mouse  
Result: Does not cause skin sensitisation.  
Method: see user defined free text
- Reproductive toxicity : Species: Rat  
Application Route: Oral  
NOAEL: 5.200 mg/kg
- Species: Rat  
Application Route: Oral  
NOAEL: 13.800 mg/kg
- Species: Rat  
Application Route: Inhalation  
NOAEL: 30400 mg/m3
- Repeated dose toxicity : Rat, male: NOAEL: > 20 mg/kg
- Method: OECD Test Guideline 403
- Rat, female: NOAEL: 1.730 mg/kg
- Method: OECD Test Guideline 408

**D-Glucopyranose, oligomers, decyl octyl glycosides**

## GREASE QUICKKLIKS 2X2L

WM 0714728

Order number: 0714728

Version 5.2

Revision Date 05.02.2021

Print Date 14.09.2021

<b>68515-73-1:</b>	
Acute oral toxicity	: LD50 Rat: > 5.000 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	: Rabbit: > 2.000 mg/kg Method: OECD Test Guideline 402
Skin corrosion/irritation	: Species: Rabbit Result: Mild skin irritation Method: OECD Test Guideline 404
Serious eye damage/eye irritation	: Species: Rabbit Result: Irreversible effects on the eye Method: OECD Test Guideline 405
Respiratory or skin sensitisation	: Species: Guinea pig Result: Does not cause skin sensitisation. Method: OECD Test Guideline 406
Germ cell mutagenicity	
Genotoxicity in vitro	: Type: Ames test Result: negative Method: OECD Test Guideline 471

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

#### Alcohols, C12-14, ethoxylated (7 EO)

#### 68439-50-9:

Toxicity to fish	: LC50 (Cyprinus carpio (Carp)): > 1 - 10 mg/l Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203  LC50 (Fish): > 1 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae	: EC50 (Desmodesmus subspicatus (green algae)): 1 - 10 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201  EC10 (Desmodesmus subspicatus (green algae)): 0,1 - 1 mg/l Exposure time: 72 h Test Type: static test

## GREASE QUICKKLIKS 2X2L

WM 0714728

Order number: 0714728

Version 5.2

Revision Date 05.02.2021

Print Date 14.09.2021

M-Factor (Short-term (acute)  
aquatic hazard) : 1

Toxicity to bacteria : EC50 (Bacteria): 140 mg/l

Toxicity to soil dwelling  
organisms : 220 mg/kg  
Species: Eisenia fetida (earthworms)

Plant toxicity : 10 mg/l  
Species: Lepidium sativum (cress)  
Method: see user defined free text

### 2,2'-methyliminodiethanol 105-59-9:

Toxicity to fish : (Leuciscus idus (Golden orfe)): 1.466 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other  
aquatic invertebrates : (Daphnia magna (Water flea)): 233 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: Directive 67/548/EEC, Annex V, C.2.

Toxicity to algae : NOEC (Desmodesmus subspicatus (green algae)): 6,25 mg/l  
Exposure time: 72 h

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h

Toxicity to bacteria : EC20 (activated sludge): > 1.000 mg/l  
Exposure time: 0,5 h  
Method: OECD Test Guideline 209

### DECETH-6 (INCI) 26183-52-8:

Toxicity to fish : LC50 : 1 - 10 mg/l  
Test Type: semi-static test

Toxicity to daphnia and other  
aquatic invertebrates : (Daphnia magna (Water flea)): 13,5 mg/l  
Test Type: Immobilization  
Method: OECD Test Guideline 202

Toxicity to algae : (Desmodesmus subspicatus (green algae)): 12,0 mg/l  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201

Toxicity to bacteria : EC0 (Bacteria): > 100 mg/l

### ethanol 64-17-5:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 13 g/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

LC50 (Leuciscus idus (Golden orfe)): 8.150 mg/l  
Exposure time: 48 h

## GREASE QUICKKLIKS 2X2L

WM 0714728

Order number: 0714728

Version 5.2

Revision Date 05.02.2021

Print Date 14.09.2021

- LC50 (Pimephales promelas (fathead minnow)): > 0,1 g/l  
Exposure time: 96 h
- LC50 (Fish): 11.200 mg/l
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 12.340 mg/l  
Exposure time: 48 h
- EC50 : 5.012 mg/l
- Toxicity to algae : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201
- EC50 (Scenedesmus capricornutum (fresh water algae)): 12.900 mg/l  
Exposure time: 48 h  
Test Type: Growth inhibition  
Method: No information available.
- EC0 (Scenedesmus quadricauda (Green algae)): 5.000 mg/l  
Exposure time: 168 h
- EC50 : 4.432 mg/l
- EC10 : 11,5 mg/l
- EC10 : 280 mg/l
- Toxicity to bacteria : EC50 (Pseudomonas putida): 11.800 mg/l  
Exposure time: 16 h  
Test Type: Cell multiplication inhibition test

### D-Glucopyranose, oligomers, decyl octyl glycosides 68515-73-1:

- Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 100,81 mg/l  
Exposure time: 96 h
- NOEC (Brachydanio rerio (zebrafish)): 1,8 mg/l
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h
- NOEC (Daphnia magna (Water flea)): 1,0 mg/l
- Toxicity to algae : EC50 (Scenedesmus subspicatus): 27,22 mg/l  
Exposure time: 72 h

## 12.2 Persistence and degradability

### Product:

- Biodegradability : Remarks: The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

## GREASE QUICKKLIKS 2X2L

WM 0714728

Order number: 0714728

Version 5.2

Revision Date 05.02.2021

Print Date 14.09.2021

### Components:

#### Alcohols, C12-14, ethoxylated (7 EO)

68439-50-9:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: > 70 %  
Exposure time: 28 d  
Method: OECD 301 A

Result: rapidly biodegradable  
Biodegradation: > 60 %  
Exposure time: 28 d  
Method: OECD 301 B

#### 2,2'-methyliminodiethanol

105-59-9:

Biodegradability : Result: rapidly biodegradable  
Biodegradation: 96 %  
Exposure time: 18 d  
Method: OECD 301 A

#### DECETH-6 (INCI)

26183-52-8:

Biodegradability : Biodegradation: 89 %  
Exposure time: 28 d  
Method: OECD 301 F

#### ethanol

64-17-5:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 97 %  
Method: OECD Test Guideline 301

#### D-Glucopyranose, oligomers, decyl octyl glycosides

68515-73-1:

Biodegradability : Result: rapidly biodegradable  
Biodegradation: 100 %  
Exposure time: 28 d  
Method: OECD 301 E

### 12.3 Bioaccumulative potential

#### Components:

##### ethanol

64-17-5:

Bioaccumulation : Concentration: 3,2 mg/l

Partition coefficient: n-  
octanol/water : log Pow: -0,32

### 12.4 Mobility in soil

#### Components:

##### ethanol

64-17-5:

Distribution among : Koc: 1Remarks: Highly mobile in soils



## GREASE QUICKKLIKS 2X2L

WM 0714728

Order number: 0714728

Version 5.2

Revision Date 05.02.2021

Print Date 14.09.2021

environmental compartments

### 12.5 Results of PBT and vPvB assessment

Not relevant

### 12.6 Other adverse effects

#### Product:

Additional ecological information : There is no data available for this product.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

- Product : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
In accordance with local and national regulations.
- Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

## SECTION 14: Transport information

### 14.1 UN number

#### ADR

Not dangerous goods

#### IMDG

Not dangerous goods

#### IATA

Not dangerous goods

### 14.2 Proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class

#### ADR

Not dangerous goods

#### IMDG

Not dangerous goods

#### IATA

Not dangerous goods

### 14.4 Packing group

#### ADR

Not dangerous goods

#### IMDG

Not dangerous goods

#### IATA

Not dangerous goods

### 14.5 Environmental hazards

#### ADR

Not dangerous goods

## GREASE QUICKKLIKS 2X2L

WM 0714728

Order number: 0714728

Version 5.2

Revision Date 05.02.2021

Print Date 14.09.2021

### IMDG

Not regulated as a dangerous good

### IATA

Not dangerous goods

### 14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils	2.500 000067	25.000 000067

TA Luft List (Germany) : Total dust: Not applicable  
: Inorganic substances in powdered form: Not applicable  
: Inorganic substances in vapour or gaseous form: Not applicable  
: Organic Substances: : portionClass 1: < 0,01 %  
: Carcinogenic substances: Not applicable  
: Mutagenic: Not applicable  
: Toxic to reproduction: Not applicable

Volatile organic compounds (VOC) content : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Update: Percent volatile: 2,92 %  
113,37 g/l  
VOC content excluding water

Volatile organic compounds (VOC) content : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Update: Percent volatile: 2,92 %  
30,49 g/l  
VOC content valid only for coating materials used on wood surfaces

according to Detergents Regulation EC 648/2004 : 5 - <15% Non-ionic surfactants, Perfumes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

{ error: graphic file not found:  
E:\usr\sap\SDB\J00\j2ee\cluster\ap  
ps\JavaEE\ehswww\servlet\_jsp\eh  
swww\root\WEB-  
INF\bin\graphics\TANA\_CHEMIE\_  
4C.BMP }

## GREASE QUICKKLIKS 2X2L

WM 0714728

Order number: 0714728

Version 5.2

Revision Date 05.02.2021

Print Date 14.09.2021

GISBAU (D) : GU 80

### 15.2 Chemical safety assessment

#### SECTION 16: Other information

##### Full text of H-Statements

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

##### Further information

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Classification procedure: H319 On basis of test data.

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006

{ error: graphic file not found:  
E:\usr\sap\SDB\J00\j2ee\cluster\ap  
ps\JavaEE\ehswww\servlet\_jsp\eh  
swww\root\WEB-  
INF\bin\graphics\TANA\_CHEMIE\_  
4C.BMP }

**GREASE QUICKKLIKS 2X2L**

**WM 0714728**

**Order number: 0714728**

Version 5.2

Revision Date 05.02.2021

Print Date 14.09.2021

---

50000004313