Meat Mincer Brush, 130 mm, Medium, Blue







Designed for cleaning tanks and containers, this Meat Mincer brush can also clean feeder pipes and tubes in food production equipment. Can be used with any Vikan handle.

Technical Data

Bristle stiffness Medium Visible bristle length 33 mm Material Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with EU Regulation 1CFR 21¹ Yes Complies with EACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 8 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 38 4 Pcs. Box Length 415 mm Box Length 415 mm Box Width 295 mm Box Height 115 mm Product Diameter 135 mm Length 130 mm Width 130 mm Weight bag (Recycling Symbol "4" Low Density Polyethylene 0.003 kg Weight cardboard (Recycling symbol "20" PAP) 0.023 kg Gross Weight 0.35 kg Cubic metre 0.001944 Mo Max usage temperature (non food contact)	Item Number	70353
Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with TPA Regulation ICFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity Per Pallet (80 x 120 x 180-200 cm) 384 Pcs Quantity per Pallet (80 x 120 x 180-200 cm) 384 Pcs Box Length 415 mm Box Width 295 mm Box Height 210 mm Product Diameter 135 mm Length 130 mm Width 130 mm Width 130 mm Width 130 mm Weight 215 mm Net Weight 20,206 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Weight cardboard (Recycling symbol "20" PAP) 0,232 kg Gross Weight 0,35 kg Cubic metre 0,001944 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (100 °C Max. drying temperature (100 °C)	Bristle stiffness	Medium
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Complies with FDA Regulation (FC 21¹ Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Alal and Kosher Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Box Quantity 8 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 384 Pcs. Box Length Box Weigth Box Weigth Box Height 295 mm Box Height 115 mm Net Weight Height 115 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Weight cardboard (Recycling symbol "20" PAP) Tare total Goss Weight Quite metre 0.001944 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max. drying temperature 100 °C Min. usage temperature 100 °C Min. usage temperature Max drying temperature 100 °C Max. drying temperature 100 °C Max. drying temperature	Visible bristle length	33 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation (FR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with Real and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 8 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 384 Pcs. Quantity Per Layer (Pallet) 48 Pcs. Box Length 415 mm Box Width 295 mm Box Height 210 mm Product Diameter 135 mm Length Width 130 mm Net Weight Net Weight No No No No No No No No No N	Material	(PBT) Stainless Steel
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Box Quantity 8 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 384 Pcs Quantity Per Layer (Pallet) 48 Pcs. Box Length 415 mm Box Width 295 mm Box Height 210 mm Product Diameter 135 mm Length 130 mm Width 130 mm Weight 0.32 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) 0.003 kg Weight cardboard (Recycling symbol "20" PAP) 0.0232 kg Gross Weight 0.35 kg Cubic metre 0.001944 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (non food contact) 80 °C Min. usage temperature	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesComplies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity8 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)384 PcsQuantity Per Layer (Pallet)48 Pcs.Box Length415 mmBox Width295 mmBox Height210 mmProduct Diameter135 mmLength130 mmWidth130 mmHeight115 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0232 kgGross Weight0.35 kgCubic metre0.001944 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature100 °CMin. usage temperature100 °CMax. drying temperature100 °C	· · · · · · · · · · · · · · · · · · ·	Yes
Complies with REACH Regulation (EC) No. 1907/2006YesComplies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity8 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)384 PcsQuantity Per Layer (Pallet)48 Pcs.Box Length415 mmBox Width295 mmBox Height210 mmProduct Diameter135 mmLength130 mmWidth130 mmHeight115 mmNet Weight0.32 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0032 kgWeight cardboard (Recycling symbol "20" PAP)0.0232 kgTare total0.0295 kgGross Weight0.35 kgCubic metre0.001944 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature100 °CMin. usage temperature100 °CMax. drying temperature100 °C	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65YesComplies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity8 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)384 PcsQuantity Per Layer (Pallet)48 Pcs.Box Length415 mmBox Width295 mmBox Height210 mmProduct Diameter135 mmLength130 mmWidth130 mmHeight115 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0232 kgWeight cardboard (Recycling symbol "20" PAP)0.0232 kgTare total0.0295 kgGross Weight0.35 kgCubic metre0.001944 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature*-20 °CMax. drying temperature100 °C	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and KosherYesPFAS, Phthalates and BPA intentionally addedNoBox Quantity8 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)384 PcsQuantity Per Layer (Pallet)48 Pcs.Box Length415 mmBox Width295 mmBox Height210 mmProduct Diameter135 mmLength130 mmWidth130 mmHeight115 mmNet Weight Dag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0232 kgTare total0.0295 kgGross Weight0.35 kgCubic metre0.001944 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature*-20 °CMin. usage temperature100 °CMax. drying temperature100 °C	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added No Box Quantity 8 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 384 Pcs Quantity Per Layer (Pallet) 48 Pcs. Box Length 415 mm Box Width 295 mm Box Height 210 mm Product Diameter 135 mm Length 130 mm Width 130 mm Height 115 mm Net Weight 0.32 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) 0.063 kg (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0232 kg Tare total 0.0295 kg Gross Weight 0.35 kg Cubic metre 0.001944 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C	Complies with California Proposition 65	Yes
Box Quantity 8 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 384 Pcs Quantity Per Layer (Pallet) 48 Pcs. Box Length 415 mm Box Width 295 mm Box Height 210 mm Product Diameter 135 mm Length 130 mm Width 130 mm Net Weight 0.32 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0232 kg Tare total 0.0295 kg Gross Weight 0.35 kg Cubic metre 0.001944 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature ³ -20 °C Max. drying temperature 100 °C	Complies with Halal and Kosher	Yes
Quantity Per Lalet (80 x 120 x 180-200 cm) 384 Pcs Quantity Per Layer (Pallet) 48 Pcs. Box Length 415 mm Box Width 295 mm Box Height 210 mm Product Diameter 135 mm Length 130 mm Width 130 mm Height 115 mm Net Weight 0.32 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0232 kg Tare total 0.0295 kg Gross Weight 0.35 kg Cubic metre 0.001944 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -20 °C Max. drying temperature 100 °C	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet) 48 Pcs. Box Length 415 mm Box Width 295 mm Box Height 210 mm Product Diameter 135 mm Length 130 mm Width 130 mm Height 115 mm Net Weight 0.32 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0232 kg Tare total 0.0295 kg Gross Weight 0.35 kg Cubic metre 0.001944 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature 100 °C	Box Quantity	8 Pcs.
Box Length 415 mm Box Width 295 mm Box Height 210 mm Product Diameter 135 mm Length 130 mm Width 130 mm Height 115 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0232 kg Gross Weight 0.35 kg Cubic metre 0.001944 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 100 °C	Quantity per Pallet (80 x 120 x 180-200 cm)	384 Pcs
Box Width 295 mm Box Height 210 mm Product Diameter 135 mm Length 130 mm Width 130 mm Height 115 mm Net Weight 0.32 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) 0.0063 kg Weight cardboard (Recycling symbol "20" PAP) 0.0232 kg Tare total 0.0295 kg Gross Weight 0.35 kg Cubic metre 0.001944 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 100 °C	Quantity Per Layer (Pallet)	48 Pcs.
Box Height210 mmProduct Diameter135 mmLength130 mmWidth130 mmHeight115 mmNet Weight0.32 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0232 kgTare total0.0295 kgGross Weight0.35 kgCubic metre0.001944 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Length	415 mm
Product Diameter 135 mm Length 130 mm Width 130 mm Height 115 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Weight cardboard (Recycling symbol "20" PAP) 0.0232 kg Tare total 0.0295 kg Gross Weight 0.035 kg Cubic metre 0.001944 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Min. usage temperature 3 -20 °C Max. drying temperature 100 mm	Box Width	295 mm
Length130 mmWidth130 mmHeight115 mmNet Weight0.32 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0232 kgTare total0.0295 kgGross Weight0.35 kgCubic metre0.001944 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Box Height	210 mm
Width 130 mm Height 115 mm Net Weight 0.32 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Weight cardboard (Recycling symbol "20" PAP) 0.0232 kg Tare total 0.0295 kg Gross Weight 0.35 kg Cubic metre 0.001944 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 100 0.32 kg 100 °C Max. drying temperature 1100 °C	Product Diameter	135 mm
Height115 mmNet Weight0.32 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0232 kgTare total0.0295 kgGross Weight0.35 kgCubic metre0.001944 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Length	130 mm
Net Weight0.32 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))0.0063 kgWeight cardboard (Recycling symbol "20" PAP)0.0232 kgTare total0.0295 kgGross Weight0.35 kgCubic metre0.001944 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Width	130 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)) Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.001944 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 0.0063 kg 0.0232 kg 0.0295 kg 0.0295 kg 0.001944 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max. drying temperature	Height	115 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.001944 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature 100 °C Max. drying temperature	Net Weight	0.32 kg
Tare total 0.0295 kg Gross Weight 0.35 kg Cubic metre 0.001944 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (100 °C) Max. drying temperature 100 °C		0.0063 kg
Gross Weight Cubic metre 0.001944 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Max. drying temperature 100 °C	Weight cardboard (Recycling symbol "20" PAP)	0.0232 kg
Cubic metre0.001944 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Tare total	0.0295 kg
Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Gross Weight	0.35 kg
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Cubic metre	0.001944 M3
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Min. usage temperature ³ -20 °C Max. drying temperature 100 °C	Max usage temperature (food contact)	80 °C
Max. drying temperature 100 °C	Max usage temperature (non food contact)	100 °C
	Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration 2 pH	Max. drying temperature	100 °C
	Min. pH-value in usage concentration	2 pH

Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705020703539
GTIN-14 Number (Box quantity)	15705020703536
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.